

ASSAM ELECTRICITY GRID CORPORATION LIMITED

Regd. Office: 1st Floor, Bijulee Bhawan, Paltan Bazar, Guwahati-781001

CIN:U40101AS2003SGC007238

Ph:-0361-2739520/Fax:-0361-2739513 Web: www.aegcl.co.in



TENDER DOCUMENT

NAME OF WORK:-

NIT No:-

Information to the Bidder.

SI No	NIT Nos & Date	Name of the Works	Tender Fee	EMD	AT	Estimate	Cash Flow (Min)
1.	AEGCL/DGM/LAC/TT/TLS-69/2020/439; Dt 04.03.2020	Construction of Officers Hostel.	1000/-	91000/-	92 Lakhs	46Lakhs	17Lakhs
2.	AEGCL/DGM/LAC/TT/TLS-69/2020/440; Dt 04.03.2020	Construction of Staff Hostel.	1000/-	80000/-	92 Lakhs	41Lakhs	17Lakhs
3.	AEGCL/DGM/LAC/TT/TLS-69/2020/441; Dt 04.03.2020	Construction of RE's Residence.	1000/-	40000/-	41 Lakhs	20Lakhs	8Lakhs
4.	AEGCL/DGM/LAC/TT/TLS-69/2020/442; Dt 04.03.2020	Construction of Paver Road on Colony Area.	1000/-	40000/-	41 Lakhs	20Lakhs	8Lakhs

Documentary Evidence is must to prove the above criterions along with submission of the following documents

1.	CERTIFICATES	GST TAX REGISTRATION CERTIFICATE ALONG WITH ACKNOWLEDGEMENT , PAN, LATEST IT ACKNOWLEDGEMENT, PTAX, LABOUR LICENCE ,ESIC. LETTER OF TECHNICAL BID WITH VALIDITY 180 DAYS.
2.	CERTIFICATES	Provident Fund Certificate
3.	CERTIFICATES	GST Registration Certificate
4.	CERTIFICATES	Bank Solvency Certificate
5.	COMPANY DETAILS	COMPANY REGISTRATION CERTIFICATE
6.	COMPANY DETAILS	COMPANY DETAILS
7.	CREDENTIAL	COMPLETION CERTIFICATES
8.	DECLARATION	DECLARATION FILE
9.	EQUIPMENT	MACHINERIES
10.	FINANCIAL INFO	WORK IN HAND
11.	FINANCIAL INFO	P/L AND BALANCE SHEET LAST THREE YEAR
12.	MANPOWER	TECHNICAL PERSONNEL/POSITION

For and on behalf of the Managing Director, Assam Electricity Grid Corporation Limited (AEGCL), the Deputy General Manager, A T&T Circle, AEGCL, Narengi, Ghy-26 invites E-Tender from reputed Civil Engineering Firms / Contractors for the work " Various Civil Works at Hatsingimari GSS in package wise ". A single stage two envelope procedure (Techno-Commercial and Price Bid) will be adopted for this tender.

1. INFORMATION TO BIDDER:

NAME OF WORK:- Refer to NIT
LOCATION OF WORK:- 132/33kV Hatsingimari GSS, AEGCL, Hatsingimari.
TENDERING OFFICE ADDRESS:- DGM, LA T&T Circle, AEGCL, Narengi, Ghy-26

(to be filled by the tendering office)

2. BIDDING PROCEDURE:-

The bidders must register themselves at <https://assamtenders.gov.in> as per the guidelines laid in the website.

The bidders have to submit scanned copies of the relevant documents through the e-Tender Portal.

The bid must be submitted online through e-tendering portal <https://assamtenders.gov.in>.

Bidders may obtain further information from the office of the Deputy General Manager, LA T&T Circle, AEGCL, Narengi, Ghy-26, Assam [phone: 0361 2731386, e-mail: dgmlattcircle@gmail.com; Web site: www.aegcl.co.in]. [For the purpose of preparation of their bid, participant may download the bid document by visiting the website, www.aegcl.co.in or <https://assamtenders.gov.in>.]

3. KEY DATES:-

Bid Document Available on website date:-

Bid Submission Start Time &date:-

Refer to NIT for Detail.

Bid Submission End Time &date:-

Techno-Commercial Bid Opening Time &date:-

4. TENDER PAPER COST AND MODE OF PAYMENT:-

Bidder has to pay Non-Refundable tender document cost for detail refer to NIT

5. BID SECURITY/EARNEST MONEY AND MODE OF PAYMENT:-

For participation in bidding procedure, participants must compulsorily pay the Bid Security of **Rs refer to NIT for details** in the form of **Bank Guarantee** in favour of the Managing Director, AEGCL, Bijulee Bhawan, Paltan Bazar payable at Guwahati. The scan copy of the Bid Security must be submitted along with relevant documents through e-Tender portal and the original copy of Bid Security must be submitted 1 (one) hour before opening of the Techno-Commercial bid.

The bid security of the successful Bidder shall be returned as promptly as possible once the successful Bidder has signed the Contract and furnished the required performance security.

The bid security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder's furnishing of the performance security for the work.

The bid security may be forfeited:-

if a Bidder withdraws its bid during the period of bid validity period.

if the successful Bidder fails to sign the Contract within the specified period.

if the successful Bidder fails to furnish a performance security within 15 (fifteen) days time of issue of Letter of Intent (LOI).

6. PERFORMANCE GUARANTEE:-

The materials and entire work is to be guaranteed against defective design, materials and workmanship and for satisfactory performance for a period of 365 days from the date of final acceptance of the completed work.

Performance Guarantee will be in the form of **Bank Guarantee** amounting to a value of 10% of the contract amount.

The successful Bidder shall have to deposit through a **Bank Guarantee** from a Nationalized or scheduled Bank of RBI in AEGCL's standard proforma on non judicial stamp of appropriate value for an amount equivalent to 10% (ten percent) of the total value of the order as performance security, within allotted time on acceptance of letter of intent/detailed orders (as the case may be), duly pledged in favour of the Purchaser concerned (AEGCL) and such security deposit shall be valid up to one month (30 days) beyond the warranty period of 18 (eighteen) months with claim period extending up to 365 days beyond the expiry of the Bank Guarantee.

If the contractor/firm fails or neglects to observe and perform any of his obligations under the contract, Purchaser

(AEGCL) shall have the right to forfeit either in full or in part at his absolute discretion, the security deposit furnished by the contractor/firm.

If the value of the work increases from original ordered value, the contractor has to provide performance guarantee for additional amount.

No interest shall be payable on such deposits.

7. CLARIFICATIONS:-

A prospective Bidder requiring any clarification of the Bidding Document shall contact the AEGCL in writing at the AEGCL's address indicated in the Bid Document or raise his enquiries prior to 7 (seven) days of closing of the bid. AEGCL will respond to any request for clarification if deemed necessary. Should AEGCL deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so.

The Bidder is advised to visit and examine the site where the work is to be Carried out and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract. The costs of visiting the site shall be at the Bidder's own expense.

The Bidder and any of its personnel or representatives will be granted permission by AEGCL to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder and its personnel will release and indemnify the Employer and its personnel from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

8. VALIDITY OF BID:-

Bid shall remain valid for the period of 180 days after the submission deadline date prescribed by AEGCL. In exceptional circumstances, prior to the expiration of the Bid validity period, AEGCL may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing.

9. TIME OF COMPLETION:-

The allotted time of completion for the work is 180 days from the handing over of the site. Moreover the AEGCL must be intimidated in written about the handing over of the site to the contractor along with all necessary details.

10. DISCLAIMER:-

AEGCL is not committed contractually in any way to those Bidders whose Bid are accepted. The issue of this Bid does not commit or otherwise oblige AEGCL to proceed with any part or steps of the process.

11. AMENDMENT OF TENDER DOCUMENT:-

At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Document by issuing addenda.

To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, AEGCL may, at its discretion, extend the deadline for the submission of bids.

Any corrigendum/Addendum/modifications issued to the bid documents will be published on the website mentioned above will be part of the Bid Document.

12. LANGUAGE OF BID:-

The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and AEGCL, shall be written in the English and / or Assamese language.

13. NEGOTIATION WITH BIDDER:-

The AEGCL reserve the right to hold negotiations with lowest bidder if AEGCL feels the quoted rates of particular item(s) are unreasonably high. The bid must be valid, eligible and technically acceptable and considered for award of contract.

14. VERIFICATION OF DOCUMENTS:-

AEGCL reserves the right to verify the documents submitted by the bidders with issuing authority and if any abnormalities are observed in the same, their bids will be rejected.

15. RIGHT TO REJECT:-

AEGCL reserves the right to reject any or all the bids without assigning any reason thereof and AEGCL further reserves the right to split up the work order in favour of more than one Contractor. AEGCL also reserves the right to reject the lowest or any other price without assigning any reason. The clauses which are not appearing in this Bid document will be as per The General Condition of Supply and Erection 2009 of AEGCL. The General Condition of Supply and Erection 2009 of AEGCL is available in the AEGCL's website www.aegcl.co.in.

16. ELIGIBILITY QUALIFICATION.

ELIGIBLE BIDDERS:-

A Bidder may be a private entity or a government-owned entity or any combination of such entity with the intent to enter into an agreement supported by a letter of intent or under an existing agreement in the form of a joint venture, consortium or association.

In the case of the Joint Venture (JV):-

When the bidder is a Joint Venture (JV) of two or more firms as partners, all partners shall be jointly and severally liable. The JV shall legally authorize one of the partners as the lead partner for the purpose of submitting the bid,

incur liabilities; receive payments and instructions on behalf of the others. A copy of the **registered** JV agreement, executed on Non judicial stamp paper, shall be submitted with the bid. However, in case of successful bid, the agreement shall be signed by all the partners, so as to be legally binding on all the partners.

A Bidder, and all partners constituting the Bidder, shall have Indian nationality.

AEGCL considers a **conflict of interest** to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations, and that such conflict of interest may contribute to or constitute a prohibited practice under Anticorruption Policy of Government of India and Government Of Assam. In pursuance Anticorruption Policy's requirement that Employer as well as bidders, suppliers, and contractors observe the highest standard of ethics. AEGCL will take appropriate actions if it determines that a conflict of interest has flawed the integrity of any procurement process.

Consequently all Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process if, including but not limited to:-

they have controlling partners in common; or

they receive or have received any direct or indirect subsidy from any of them; or

they have the same legal representative for purposes of this bid; or

they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or

a Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the plant and services that are the subject of the bid.

A firm that is under a declaration of ineligibility by the AEGCL or any Government Entity or PSU at the date of the deadline for bid submission or thereafter i.e. on or before contract signing date shall be disqualified.

Bidders shall provide such evidence of their continued eligibility satisfactory to the AEGCL, as the Employer shall reasonably request.

In case a prequalification process has been conducted prior to the bidding process, this bidding is open only to prequalified Bidders.

The bidder must have experience of execution of work of similar nature previously. The bidder must submit experience and Performance Certificate for scrutiny by AEGCL.

17. **A person, Firm or any other prospective bidder who is involved in fraud, unethical practices or barred from submitting bids by AEGCL or any sister concerns of AEGCL i.e. APDCL & APGCL will not be allowed to participate in the bids. If such cases are detected after submission of the bids, in later stages of the bidding process, then such bids will be rejected outright.**

18. LEGAL ENTITY:-

Verification may be undertaken to verify that an applicant is a bona-fide registered company or business. Bidders are required to provide evidence of the legal entity by providing a copy of an official document as mentioned in the appendix attached along with this bid document.

19. TECHNICAL QUALIFICATION:-

In order to qualify technically for this Bid, the bidders have to submit 2 (two) nos. of work order along with Performance Certificate of similar nature of work executed within last 5 (five) years at any Govt. Deptt., PSU etc. of value not less than Rs..... (50% of tendered amount).

If the nature of work and value differs from the above stated conditions, it will not be considered while evaluation of technical qualification.

20. FINANCIAL QUALIFICATION:-

Minimum average annual turnover of Rs..... (Refer to NIT) calculated as total certified payments received for contracts in progress or completed, within the last 3 (Three) Years. Audited Balance sheet must be furnished as a proof of annual turnover. Any other form of supporting documents instead of Audited balance sheet will not be accepted.

Current bank solvency certificate must be submitted to show the bidder's financial position.

21. EVALUATION CRITERIA:-

The Techno-Commercial Evaluation will be done on the basis of technical qualification, Financial qualifications and fulfilment of the legal conditions.

The Price Bid of only Responsive Techno-Commercial Bidders will be opened and intimation will be issued in due course.

GENERAL CONDITIONS OF CONTRACT:

22. INSPECTION OF SITE:-

The Bidder is advised to visit and examine the site where the work is to be carried out and its surroundings, nature of work, site conditions, area for storage of materials, establishment of labour camp, site office, means of

access to the site etc. and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract. The costs of visiting the site shall be at the Bidder's own expense. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the work in strict conformity with the specifications & requirement.

23. PREPARATION OF BID:-

Cost of Bidding:

The Bidder shall bear all costs associated with the preparation and submission of its Bid, and AEGCL shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

Documents Establishing Conformity of the Goods and Services:-The documentary evidence of the conformity of the goods and services to the Bidding Document may be in the form of letter, drawings and data, and shall furnish. A detailed description of the essential technical and performance characteristics of the goods and services, including the functional guarantees of the Goods, in response to the specification.

Bidder should note clearly that department should not take any responsibility for issuing of any materials, equipment and T&P's that may be required in the work.

All materials, labours, equipment, T&P and heavy vehicle etc. required in the work shall have to be arranged by the bidder/contractor from his own sources in the event of allotment of the said work to him/them.

Water to be used in the work should be clean and free from all impurities; the bidder should note that no water will be provided to them for the execution of the work from the department

The department is also not bound to supply power that may be required in the execution of the work. However subject to the availability of the power source near the vicinity of the work site, the department on payment of tariff as applicable at the time of execution of work may arrange one point near the work site.

The bidder should clearly understand that all materials to be utilized in the work must conform to the specifications. No substandard materials will be allowed to utilize in the work. Samples of each and every materials to be brought to the site of work shall have to be get approved by the competent authority of the department before use.

The contract must not be sublet under any circumstances. If any contractor found in doing so, his work liable to be terminated.

The specification for the work shall be as per specification laid down in the items of work contained in the enclosed schedule of items of work or as per the APWD schedule of rates for Building (civil works), sanitary and Water supply and internal electrification respectively (whichever is applicable) but, certain modification in the specification and method of execution of work if required shall have to be carried out which shall be finalized with the contractor bilaterally through discussion.

24. PRICE BID:-

Unless otherwise specified in the Bid Document and/or AEGCL's Requirements, bidders shall quote for the entire plant and services on a single responsibility basis such that the total bid price covers all the Contractor's obligations mentioned in or to be reasonably inferred from the bidding document in respect of the including procurement, delivery, testing of materials, construction, labour cost, insurance, statutory requirements, and any other expenditure deemed necessary for completion of the Work. The rate should also include the cost of testing of materials at the approved laboratory, carriage and transportation of sample, preparation of report, submission of report in all respect as required by AEGCL. This includes all requirements under the Contractor's responsibilities for completing the work and where so required by the bidding document, the acquisition of all permits, approvals and licenses, etc.; the operation, maintenance and training services and such other items and services as may be specified in the Bidding Document, all in accordance with the requirements of the General Conditions. Items against which no price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed to be covered by the prices for other items.

Bidders are required to quote the price for the commercial, contractual and technical obligations outlined in the bidding document.

25. Bidders quoted price should include all cost of testing of materials, transportation of sample, storage, preparation and submission of report during approval period, construction period as well as after completion of the work.

26. Bidders quoted price should include all cost of testing of concrete (destructive or non destructive) transportation of sample, storage, preparation and submission of report.

Taxes like work contract, income tax etc. which need to be deducted at source as per the prevailing law, will be deducted at source.

The Bided Price should on Fixed Price basis, prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account.

27. SITE FACILITIES:-

AEGCL will not provide any accommodation at the work site to the contractor and their field personnel. The same has to be arranged by the contractor on their own. However, AEGCL may provide space for storage of the materials but responsibility of the material and their safety shall be taken care of by the Contractor. In case of none availability of space under AEGCL the same should be arranged by the contractor outside AEGCL campus/work site at their

own cost and responsibility.

AEGCL shall not be responsible for the safety of the workers at site either on account of the works executed by the Contractor or on account of the works executed by any other agency involved at that time.

AEGCL shall on no account be responsible for the expenses incurred by the Contractor during the progress of work at site, towards any incidental expenditure like medical amenities to the workers at site, security arrangements.

The quoted price shall be deemed to include charges for all site facilities for labour that are considered necessary for execution of the work. Subject to availability of land, AEGCL may provide free site for labour camp, construction of yard etc. close to site of work.

No assurance can be given regarding the availability of AEGCL's land given for use to the Bidder to natural calamities. AEGCL undertakes no responsibility or liability in this regard.

The bidder shall make his own arrangement for arranging power supply as may be required for work. AEGCL may, however assist in recommending his/their application to the Electricity Supply Utility for the power supply on payment basis as per norms of the Electricity Supply Utility.

No claim shall be entertained from the bidder for making his own arrangement for approach roads from outside PWD road to the site and bidder will bear entire expenses.

AEGCL on no account shall be responsible for storage of materials or loss or pilferage or theft either in respect of the material stored or material already billed and paid for by the AEGCL.

Any facilities available at site shall be utilized only with prior permission of AEGCL and it should not be taken as granted for availing such services.

28. DEFECT AFTER COMPLETION OF WORK:-

The contractor shall make good at his own cost and to the satisfaction of AEGCL all defects, or other faults which may appear during the defect liability period.

In default, AEGCL may employ and pay other agency or persons to amend and make good such damages. Losses and expenses consequent thereon or incidental thereto shall be made good and borne by the contractor, failing which the same shall be recoverable from the payment due to the contractor and performance guarantee. In the event of amount due and performance guarantee being insufficient, the balance amount will be recovered from the contractor from the amount due or retained for other works executed in AEGCL.

29. DEVIATION/ERROR IN DRAWING AND SPECIFICATIONS.

In case of non-suitability of drawing or specifications, the matter to be brought to the notice of Competent Authority without any delay. Any modification or deviation should only be done after approval of Competent Authority.

In case of any omission and error in the drawing and specification the same procedure as above should be followed.

30. VARIATION AND DEVIATION OF QUANTITY:-

The Tendered rates shall hold good for any variations in the Tendered quantities for completion of work on account of any modification in the bill of quantities or design or specification.

31. Deletion of work:

AEGCL and its representative have the right to delete or decrease any item or quantity from schedule of quantity at its discretion if deemed necessary. No claim by the contractor will be admissible for this deletion or deduction of Item/quantity from schedule of quantity.

32. LABOUR LEGISLATION:-

The Bidder shall comply with the provisions of the Apprentices Act 1961, payment of Wages Act 1936, Minimum Wages Act 1948, Employees Liability Act 1938, Workmen's Compensation Act 1923, Industrial Disputes Act 1947, Maternity Benefits Act 1961, and the Contract Labour (Regulation and Abolition) Act 1970, Provident Fund Act or the modifications thereof or any other laws relating thereto and the rules made there under from time to time.

The Bidder shall indemnify and keep indemnified AEGCL against payments to be made under and for the observance of the laws aforesaid and the Contractors' Labour Regulations without prejudice to his right to claim. The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.

The Bidder shall at his own expense arrange for all the safety provisions for the safety of all workers and employees directly or indirectly employed on the work by the Bidder.

The Bidder shall be fully responsible at his own expenses for compliance all the labour regulations and rules to be observed by them. The Bidder shall fully indemnify AEGCL against any action by the state and/or Central Government for any default or alleged default by the Bidder for violation of any of such rules and regulations. If, due to any default of the Bidder, AEGCL has to incur any expenditure for compliance of the rules and regulations or for any other reason connected with such default, AEGCL shall be entitled to recover from the Bidder all such expenditure in full from any payment due to the Bidder.

33. GOVERNMENT AND LOCAL RULES:-

The Contractor shall conform to the provisions of all local bye-laws and acts relating to the work and to the regulations etc. of the Government and Local Authorities and of any Company whose system and design is proposed to be connected/utilized. The cost, if any, shall be deemed to have been included in his quoted rates, taking into account all liabilities and shall indemnify AEGCL against such liabilities and shall defend all actions

arising from.

34. ELIGIBILITY OF CONTRACTORS EMPLOYEES:-

The Contractor shall employ in and about the Execution of the works only such persons as are skilled and experienced in their several trades. A list of such personal should be submitted in corresponding Appendix.

35. ENGINEER AT LIBERTY TO OBJECT:-

AEGCL's Site in-charge shall have right to remove any person provided by the Contractor who, in the opinion of the Site in-charge, misconducts himself, or is incompetent or negligent in the proper performance of his duties, or whose presence on Site is otherwise considered by the Engineer to be undesirable, and such person shall not be again allowed upon the Works without consent of the Engineer. Any person so removed from the Works shall be replaced immediately without hampering the work.

36. TAXES:-

Any taxes, royalties and duties as per Govt. Law should be responsible of the contractor and must be included in their quoted rate.

37. INSURANCE:-

The bidder shall arrange for any pay/cost of personnel accident insurance, medical treatment etc. in respect of their employees assigned to the works for all time and shall govern by Law of the land.

38. DAMAGE TO PERSON AND PROPERTY:-

The Contractor shall be responsible for all injury to the work or to workmen, to persons, animals or things and for all damages to the structural and/or decorative part of property which may arise from the operations or neglect of contractor or its employees, against whether such injury or damage arise from carelessness, accident or any other cause whatsoever in any way connected with the carrying out of this Contract. The Contractor shall at his cost effect the insurance necessary and indemnify AEGCL entirely from all responsibility in this respect. The scope of insurance is to include loss or damage to the work and workmen due to carelessness, accident including fire, earthquake, floods, all medical expenses, compensation to be borne in the event of accident etc., damage or loss to the Contract itself till this is made over a complete state. Insurance is compulsory and must be affected from the very initial stage and should cover the entire contract period till handing over of complete works. The Contractor shall also be responsible for anything which may be excluded from damage to any property arising out of incidents, negligence or defective carrying out of this Contract.

AEGCL shall be at liberty and is hereby empowered to deduct the amount of any damages, compensations, costs, charges and expenses arising or occurring from or in respect of any such claim or damages from any sums due or to become due to the Contractor.

39. ACCEPTANCE OF BID AND CONTRACT AGREEMENT:-

An agreement shall have to be drawn on non-judicial stamp of appropriate value with AEGCL by the selected Contractor in AEGCL's General Conditions of Supply and Erection 2009 of contract within 10 (ten) days from the date of issue of the LOI.

Wherever there is any variation in between the conditions of AEGCL's General Conditions of Supply and Erection 2009 and the above terms & conditions, this bid conditions will supersede the conditions of AEGCL's General Conditions of Supply and Erection 2009.

40. STATUTORY AND SAFETY REQUIREMENT:-

Each and every safety measures for MAN and MACHINE will be the sole responsibility of the Contractor without any prejudice. Compensation claim if any will also be the responsibility of the contractor without any prejudice.

During the execution of the work, the contractor shall have to mark the site with banner warning/indicating precautions.

The Contractor shall, throughout the execution and completion of the Works and the remedying of any defects therein:

Have full regard for the safety of all persons entitled to be upon the Site and keep the Site (So far as the same is under his control) and the Works in an orderly state appropriate to the avoidance of danger to such persons, and

Provided and maintain at his own cost all lights, guards, fencing, warning signs and watching, when and where necessary or required by the Engineer or by any duly constituted authority for the protection of the Works or for the safety and convenience of the public or others, and Take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods.

41. PAYMENT TERMS:-

No advance/Mobilization advance shall be made in this contract.

No claim for interest shall be entertained by AEGCL.

Two no's of Running bill payment will be made on completion of 30% and 60% of the work in terms of value.

Running Bill must contain certified photocopies of Site Register of upto date work executed and photograph of work in sequence of execution duly signed with seal by AEGCL.

42. Final bill must contain the original site register.

Final payment shall be released to the contractor only after completion of the work in all respect and final

acceptance by AEGCL.

Payment is subject to availability of specific fund.

The Bidder / Firm will have to be submitted the following Net Banking details.

Banker's Name & Branch

Account No

Banker's address

Banker's IFSC Code

Banker's RTGS Code

43. RETENTION MONEY:-

10% retention money will be deducted from running bill, which will be released along with the final bill on completion of the work in all respect.

44. WARRANTY:-

The term period of warranty shall mean the period of 18 months from the date of Taking Over of the Work by AEGCL. A Taking over Certificate (TOC) will be issued by the appropriate authority.

45. EXTENSION OF TIME:-

Time is the essence of the contract. No extension of time shall normally be allowed except on valid and genuine ground.

46. CHANGE OF NAME OF THE TENDERER:-

At any stage after tendering, AEGCL shall deal with the Contractor only in the name and the address under which he submitted the tender. All the liabilities/ responsibilities for due execution of the contract shall be that of the Contractor.

Any change/ alteration of name/ constitution/ organization of contractor shall be duly notified to the AEGCL and the AEGCL reserves the right to determine the contract, in case of any such notification.

47. DEATH, BANKRUPTCY ETC.:-

If the Contractor becomes bankrupt or being a corporation is in the process of winding up, amalgamation or reorganization, the AEGCL shall be at liberty to:

Terminate the contract forthwith by notice in writing to the Contractor or to the liquidator or receiver or to any person in whom the contract may become vested.

Give such liquidator, receiver or other person the option of carrying out the contract subject to his providing a guarantee for the due and faithful performance of the contract up to an amount to be determined by the AEGCL.

In case of death of the Contractor before completion of work and supply, the Engineer or AEGCL shall be at liberty to:

Close up the contract and take over the completed portion of work done and made as per specification and make final payment to the legal heir of the Contractor on receipt of claim from such legal heir.

48. Give the contract to the legal heir of the Contractor subject to his depositing a performance security for the due and faithful performance of the contract. The performance security amount shall be determined by the AEGCL commensurate with the incomplete portion of the work. The AEGCL will enter into a fresh contract with the legal heir of the Contractor on the same terms and conditions of the earlier contract.

49. CONTRACTUAL FAILURE, LIQUIDATED DAMAGE AND PENALTY:-

Liquidity Damages 1.0% (one percent) of the amount of delayed work per week subjected to the maximum 10 % of the contract value.

50. TERMINATION OF CONTRACT:-

If the performance of the contract is not satisfactory and not corrected within 15 days of receiving notice, then employer shall be at liberty to terminate the contract and get the work executed through other means at the risk and cost of the Contractor.

51. PAYMENT ON TERMINATION:-

In the event of termination of the contract, AEGCL shall be at liberty to get balance work done by any third party at the risk and cost of the contractor and due payment of the contractor, if any shall be released after the completion of whole of the works.

52. SUSPENSION OF BUSINESS DEALINGS WITH FIRMS/ CONTRACTORS:-

The AEGCL may suspend business dealings with a Firm/ Contractor, if:-

The Central Bureau of Investigation or any other investigating agency recommends such a course in respect of a case under investigation; and if a prima facie case is made out that the firm is guilty of an offence involving unethical, unlawful, fraudulent means in relation to business dealings, which, if established, would result in business dealings with it being banned.

The AEGCL has past record of non-performance of the Firm in its previously awarded contracts.

The AEGCL has record of ban against the Firm by other Government /Public sector utility.

However, the AEGCL shall give the Firm/ Contractor a fair chance to explain the circumstances of such previous suspensions.

53. BANNING OF BUSINESS DEALINGS WITH FIRMS/CONTRACTORS:-

The AEGCL may ban business dealings with a Firm/ Contractor, if:-

The owner (s) of the Firm/ Contractor is convicted by a court of law following prosecution for offences involving unethical, unlawful, fraudulent means in relation to business dealings.

There is strong justification that the Firm has been guilty of malpractices such as, bribery, corruption, fraud, substitution of tenders, interpolation, mis-representation, evasion or habitual default in payment of any Government tax etc.

The Firm continuously refuses to return government dues without showing adequate cause and government are reasonably satisfied that this is not due to reasonable dispute which would attract proceeding in arbitration or court of law.

The Firm is found guilty of involving in unethical practices, such as:-

"corrupt practice" involving offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the action of any such official/ party in procurement process or in contract execution.

"fraudulent practice" involving misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract to the detriment of the Employer.

"collusive practice" involving a scheme among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition.

"coercive practice" involving harming or threatening to harm directly or indirectly, persons or their property to influence procurement process or the execution of a contract.

The AEGCL may sanction a Firm/ Contractor or its successor, including declaring ineligible, indefinitely or for a period of not less than 3 (three) years.

54. FORCE MAJEURE CONDITION

Force Majeure condition shall be considered as any circumstances beyond reasonable control of the party claiming relief, including but not limited to strikes, lockout, civil commotion, riot insurrection, hostilities, mobilization, war, fire, flood, earthquake, malicious damage or accidents could entitle contractor to extension time. Any such delay should intimated within 10 (ten) days from the beginning of such delay to consider/approved, any claim without prior information may not be considered under force Majeure.

55. SETTLEMENT OF DISPUTE AND ARBITRATION:-

Any dispute arising out of the contract will be first settled bilaterally between AEGCL and Contractor. In case, dispute cannot be settled bilaterally, it will be referred to arbitration. The contractor shall not stop the work during settlement of any dispute. All disputes shall be subjected to the jurisdiction of District Court of respective District of work.

56. POLLUTION AND ENVIRONMENT:-

Each and every measure should be taken to adhere to the standard norms to avert any occasion of Air Pollution, Water Pollution, Soil Pollution and Sound Pollution. In case of any deviation leading to any legal action the Contractor will be solely responsible without any prejudice.

57. ACCEPTANCE AND TAKEOVER:-

When the term of contract shall be fully complied with completing all works as per approved drawing and technical specifications to the satisfaction of the Department for a period as applicable, the Contractor/Firm shall have to submit Performance Certificate to the office of the undersigned after the satisfactory completion of the work through the executing authority for finalization of the work/payment as well as for the final acceptance and taking over the completed work and to issue the necessary certificate thereof.

GENERAL SPECIFICATIONS OF WORK.

58. SITE PREPARATION:-

All works required for site preparation will have to be carried out by the contractor at his own expense, whenever directed by the Site In-charge.

The Contractor shall clear the site of unnecessary vegetation to prepare the site for work only as per directions given by the Site In-charge.

Any unnecessary structures are to be demolished and serviceable materials to be stacked and stored as directed by AEGCL.

Any waste or unwanted material has to be disposed by the contractor if ordered by AEGCL. No materials will be allowed to leave the site without the permission of the Site In-charge.

The Contractor will have to construct roads or any means for transport as instructed by the Site in-charge if the site is not easily accessible.

All water which may accumulate on the site before or during the progress of the works or in trenches and excavations shall be removed and drained out from the site to the satisfaction of the Site In-charge by the Contractor.

Any other work required for adequate preparation of the site shall be carried out by the Contractor.

59. PROFILE SETTING AND LEVELLING:-

Profile setting and levelling for the site has to be carried out by the Contractor for finding the amount of earth cutting and filling that will be required for setting the Final Ground Level, Tie Beam Level and to find the amount of

excavation to be done for required foundation depth.

60. SETTING OF LAYOUT:-

The Site In-charge shall supply dimensioned drawings, levels and other information necessary to enable the Contractor to set out the works and the Contractor shall set out the works and be responsible for the accuracy of the same.

He shall rectify at his own cost and to the satisfaction of the Site In-charge any error found at any stage which may arise through in accurate setting out unless such error is based on incorrect data furnished in writing by the Site In-charge, in which case the cost of rectification shall be borne by the Corporation.

The Contractor shall protect and preserve all bench marks used in setting out the works till end of the Defects Liability Period unless the Site In-charge directs their earlier removal.

61. EXCAVATION AND BACKFILLING:-

Trenches for foundation and other structures shall be taken out to the levels and dimensions shown on the approved drawings or to such other levels and dimensions as the Engineer-in-charge may direct. The bottom of all excavations shall be carefully levelled and stopped on benches as directed by the Engineer. Any pocket of soft or loose materials and fissures in the bottom pits and trenches shall be removed and the cavities so formed filled or grouted with concrete as directed by Engineer-in-charge. When any excavation has been done and trimmed to the required levels and dimensions, the Engineer-in-charge shall be informed accordingly so that he may inspect the complete pit or trench and no excavation shall be filled in and covered with concrete until it has been inspected and the contractor has been authorized to proceed with work. All surplus excavation not required for refilling shall be deposited in embankments, or otherwise disposed off as directed. The work shall include all necessary sheeting, shoring, bracing, drawing and pumping out water, removal of all legs, stumps, grabs and other deleterious matters, obstructions, necessary for placing the foundations.

When required by the Engineer-in-charge, materials in the last 500mm of depth of the excavations shall not be removed until immediately before the concrete is to be placed.

Refilling of foundation pits and trenches shall be carried out only after the foundation and structure works within the excavation have been inspected and approved by the Engineer-in-charge. Unless otherwise directed by the Engineer-in-charge all fillings shall consists of approved materials. All space between foundation concrete and the sides of excavation shall be refilled to the original surface using approved plant, in single layers not exceeding 250mm loose thickness which shall be watered and completed to a dry density not less than that of the adjoining soil strata. Timber sheeting and other excavation support shall be carefully removed as the filling proceeds but the removal of such supports will not relieve the contractor of his responsibility for the stability of the works.

62. DEWATERING:-

Where water is met with during excavation due to stream flow, seepage, shoring, rain or other reasons, the contractor shall take adequate measures such as bailing, pumping, constructing diversion channel, drainage channel, ponds and other necessary works to keep the foundation trenches dry and to protect the green concrete against damage by eruption or sudden rising of water level.

Approval of the Engineer-in-charge shall be required for any method adopted, for the adequacy of dewatering and protection arrangements and for the sound safety of the work shall be required.

63. PREPARATION OF BASE:-

Any excavation taken out to a greater depth than that required shall be back filled with concrete of the foundation grade at the cost of the contractor. If required sand may be used for backfilling, if permitted by Site In-Charge.

Refilling of foundation pits and trenches shall be carried out only after the foundation and structure works within the excavation have been inspected and approved by the Engineer-in-charge.

Unless otherwise directed by the Engineer-in-charge all fillings shall consists of approved materials.

All space between foundation concrete and the sides of excavation shall be refilled to the original surface using approved plant, in single layers not exceeding 250mm loose thickness which shall be watered and completed to a dry density not less than that of the adjoining soil strata.

Timber sheeting and other excavation support shall be carefully removed as the filling proceeds but the removal of such supports will not relieve the contractor of his responsibility for the stability of the works

64. BRICK SOLING:-

Bricks in soling should be well placed and the surface after placing of brick should be flat.

An extension of 75 mm should be maintained on each side of the footing or as specified in the drawing.

65. PLAIN CEMENT CONCRETE:-

Plain Cement Concrete works must be carried out in dry condition and dewatering should be carried out wherever necessary before placing of concrete.

The proportion of Plain Cement Concrete should be 1:3:6 or as specified in the drawing and design. The quality of the mix will have to be checked and approved by the Site In-charge.

Curing should be done properly and as per instructions.

66. SHORING AND PROPPING:-

For pits and trenches requiring stabilising of slope, shoring or propping may be carried out at the Contractors own expense.

67. REINFORCEMENT:-

All reinforcement shall be cleaned thoroughly by removing loose scales, oil, grease or other deleterious materials. The contractor shall obtain the approval of the Engineer-in-charge or his representative to the reinforcement when fixed in position before any concrete is deposited in the forms.

Bars shall be bent cold or straightened in a manner to the satisfaction of the Engineer-in-charge or his representative. Bars bent during transport or handling shall be straightened before using on work. They shall not be heated to facilitate bending. Welding shall be done as per latest IS Code of practice.

All reinforcement bars shall be cut and standard hooks for MS rounds made at ends and accurately placed in position as shown on the approved drawings. They shall be securely held in position before and during concreting by annealed binding wires used for binding the reinforcement which shall be of approved quality soft annealed iron wire not less than 1 mm (18SWG) size, conforming to IS:280.

As far as possible, bars of full length shall be used. Where bars are required or permitted to be lapped by the Engineer-in-charge, or his representative, the over laps shall be staggered for different bars and located at points, along the span where bending moment is not maximum. The concrete measured over the reinforcing bars shall be in accordance with the approved drawings.

68. SHUTTERING AND CENTERING:-

Shuttering for concrete shall be made of either metal or timber suitably lined and of substantial and rigid construction true to shape, alignment and dimensions as shown on the approved drawings

Shuttering shall be mortar tight and shall be made sufficiency rigid by the use of ties and bracings to prevent any displacement, deflection or movement of any kind. They shall be strong enough to withstand all pressure, ramming and vibration, movement of persons, materials and plant during and after placing the concrete. Special measures shall be taken to ensure that the form work does not hinder the shrinkage of concrete because without this cracking could occur before the form work is removed.

When the Shuttering is ready for commencing concreting, the contractor shall inform the Site-in-charge or his representative to inspect and accept the shuttering as to their strength, alignment and general fitness.

69. If the Site-in-charge is satisfied with the quality of shuttering then may allow the contractor for pouring concrete.

70. Poor or old shuttering should not be used. The Site In-Charge at his own discretion may reject any shuttering material if found not satisfactory.

71. REINFORCED CEMENT CONCRETE:-

Optimum quantity of water shall be mixed to produce the design mix/nominal mix concrete of required workability.

Workability shall be such that the concrete surrounds and properly grips all reinforcement.

The degree of consistency, which shall depend upon nature of work and method of vibration of concrete, shall be determined by regular slump tests to be carried out by the contractor at his cost.

Usually for mass concrete in RCC works where vibrations are used the slumps shall be within 10mm to 25mm.

The frequency of such tests and the natures of slumps shall be maintained within the limits specified by the Engineer-in-charge.

The Engineer-in-charge also reserves the right to carry out slump tests independently at his own discretion.

Cube moulds should be prepared for destructive testing randomly as per instructions giver by Engineer In-charge.

Cement shall have to be weighed from bulk stocks at site and not by bags. It shall be weighed separately from the aggregates.

Water shall either be measured by volume in calibrated buckets or weighed. All necessary equipment shall be maintained in a clean and serviceable condition. Their accuracy shall be periodically checked.

Honeycombed RCC structure should be dismantled immediately and reconstructed.

If Reinforced Cement Concrete works include Stone masonry works then stone masonry works should be carried out in stages. After completing one stage mortar droppings shall be cleaned and Reinforced Cement Concrete works should be done before starting the second stage of stone masonry work.

STEEL WORKS:-

Any kind of steel structural work such as roof truss, door, window, grill, roofing etc. must be carried out in accordance to relevant IS codes, approved drawing, specifications and as per directions of the Engineer In-charge.

72. STONE MASONRY:-

Stones used should generally be small enough to be lifted and placed by hand.

The lengths of the stones should not exceed three times the height and, the breadth on base should not be greater than three-fourth of the thickness of the wall, not less than 15 cm.

The height of stones may be up to 30 cm.

Stones with round surface should not be used.

All stones should be wetted before use.

Percentage of water absorption shall not be more than 5%.

Mortar proportion for Stone Masonry works should be 1:6.

73. WEEP HOLES:-

Sufficient No of weep holes including provision of Asbestos pipes (in the weep hole portion only) in abutments, wing and retaining walls is to be provided as directed by the Engineer-in-charge with contractors own labour, materials etc. No extra payments will be admissible for provision of the weep holes in RCC/Brick compound boundary wall and no deduction from quantity of concrete/Brick work shall be made for weep holes.

74. BRICK MASONRY:-

Brick work in cement mortar with 1st class brick including racking out joints and dewatering if necessary, and curing complete as directed in sub-structure up to plinth level. Cement Mortar used should be in 1:4 proportion.

75. CONSTRUCTION JOINT:-

All construction joints horizontal or vertical shall be at predetermined position according to approved drawing or as directed by the Engineer-in-charge. Prior to commencement of fresh concreting over any construction joint which has set but hardened, the removal of laitance and roughening shall be done by wire brushing and washing and care shall be taken to avoid dislodgement of coarse aggregates.

At construction joints where the concrete has hard, any skin or laitance shall be thoroughly hacked, swept cleaned and washed with clean fresh water. The surplus water shall be removed immediately before depositing fresh, concrete. The neat cement, grout shall be followed by 13mm thick layer of cement mortar of same proportion as in concrete and the concreting resumed immediately thereafter. The first batch of fresh concrete shall be forced hard on to the mortar layer and the set faces, angles and corners by means of compacting tools, vibrators etc. and the damping effect on vibration in such position shall be allowed for.

Construction joints shall be avoided as far as possible in case of structure, especially at tensile zones. Where unavoidable, concreting shall be carried out continuously up to such joints which shall preferably to transverse to the line of main compression. However, in all cases, the position of construction joints shall be predetermined and got approved by the Engineer-in-charge.

76. PLASTERING:-

Surfaces to be rendered must be cleaned and made free from all dust, loose materials, grease, etc, and be well wetted for a few hours (the wall should not be soaked but only damped evenly); but the wall should not be too wet. Plaster may be applied in one or two coats. No single coat should exceed 12 mm in thickness as thick coats shrink more and crack.

Plaster work on new construction should be deferred as much as possible so as to let shrinkage in reinforced concrete and masonry take place before plastering.

General proportion for cement plaster should be 1:4.

77. CURING:-

Curing should be done as soon as possible after concrete is placed and when initial set has occurred and before it has hardened. It should be continued for a minimum period of 7 to 12 days when normal (Portland) cement is used, 4 to 7 days when rapid hardening cement is used, and should be kept thoroughly wet for 24 hours when high alumina cement is used.

Vertical surfaces may be covered with hanging curtains. Columns and small members shall be cured by wrapping round them wet sacks or by sprinkling water continuously. On vertical surfaces it should be checked that the wet fabric is in contact with the surface.

Water should be sprinkled on the underside of beams and slabs for proper curing.

78. PRIMING AND PAINTING:-

As per specifications in the schedule of quantity.

The following procedure need be adopted for maintaining optimum quality & durability in painting the walls (both internal & external walls).

79. Internal wall:

The walls are to be applied with 2 coats of putty (JK/Birla/Bison make) of minimum 2mm of thickness. After the first coat is applied, minimum of 2 days may be spared for drying up the wall. Then the second coat may be applied over the first coats so that 2mm thickn ess is achieved & uniformity is maintained. After applying the second coat, another 2 days may be spared & then sand paper is to be applied to remove the undulation of the wall.

White primer (water thin-able/solvent thin-able) of one coat (Berger/Nerolac/Asian Paints) is to be applied.

Then two coats of colour paints are to be applied on the wall.

80. External wall:

The walls are to be applied with 2 coats of putty (JK/Birla/Bison make) of minimum 2mm of thickness. After the first coat is applied, minimum of 2 days may be spared for drying up the wall. Then the second coat may be applied over the first coats so that 2mm thickn ess is achieved & uniformity is maintained.

One coat of primer (Weather Coat) are to be applied.

The two coats of weather coat need to be applied on the wall. The two coats should be applied with a minimum interval of 12 hours in between.

81. Roof

Roof of the buildings shall consist of cast in situ R.C.C. slabs. Extra heavy waterproofing treatments shall be done after grading under bed with 1:4 cements and plaster of 25 mm thickness. The under bed shall be laid to provide an ultimate run off gradient of 1:120. The extra heavy treatments shall be concrete based with waterproof treatment as per the standard to protect the roof from damaged due to water logging. Proper slope and adequate number of water drains outlets shall be provided for easy discharge of water from the roof. These drains shall be connected to the main drain. Roof treatment shall be done by authorized/certified personnel from the manufacturer. The warranty for the roof treatment should be submitted to EMPLOYER.

82. Glazing (glass)

Minimum thickness of glazing shall be 5 mm. The glazing for the control room area, which will be air-conditioned shall be provided with double toughened glass each of 5 mm thickness. Frosted Glass for Toilets.

83. False Ceiling

The control room and all other air conditioned areas shall have closed aluminium ceiling system comprising 84 mm wide, 12.5 mm deep panels of approved colour with a recessed flange of 23.9 mm roll formed out of 0.5 mm thick aluminium alloy 5050/5052/3003 or equivalent, coated with chromatised and stone enamelled on both sides, panels to be fixed on roll formed carriers 32 mm wide 39 mm deep out of minimum 0.9 mm thick aluminium alloy strip with cut out to hold panels in a module of 100 mm minimum at maximum 1.6 m/c carriers suspended from roof by 4 mm diameter galvanised steel wire rod hangers with special height adjustment springs/clips made out of spring steel at maximum spacing of 1.5 m/c. Changers fixed to roof, J hooks and nylon insert including providing laying and fixing 25 mm thick resin bonded mineral wool of approved quality, encased in 100 g black polythene and laid over top of places panels, all complete. The system is subject to approval by EMPLOYER before installation.

84. Doors and Windows

The doors and windows of the control room building, GIS building and security booth shall be of colour anodized aluminium with aluminium grill and all the frames of doors and windows also of aluminium sections in accordance with the relevant IS codes. Thickness of the aluminium section shall not be less than 2.0 mm. Size and shape shall be adequate for entering into the room. In the air conditioned area shall be double glass (toughened) and doors suitably made to have efficient air conditioning. The windows shall be of sliding type. Anodised aluminium work for doors and windows, ventilators and partitions shall be provided and fixed in the building with extruded built up standard tubular and other sections approved make confirming to IS:733 and IS:1285, anodised transparent or dyed to required shade according to IS:1868 (minimum anodic coating of grade AC15) fixed with wall plugs and screws with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions at top, bottom and sides with required PVC/neoprene felt etc and joined mechanically wherever required including cleat angle, Aluminium snap beading for glazing/panelling, C.P brass/stainless steel screws including glazing and fittings as specified.

All other quarter and hostel buildings shall have factory made wooden panelled doors with wooden chowkaths of size 150 x 75 mm and laminate.

Windows for all building shall be colored anodized aluminum sliding windows and ventilators of standard sections as required complete as specified and directed for all levels.

Proper locking arrangement with stoppers to be provided on the door and windows. All the windows shall be provided with M.S grill and care should be taken while designing the grill frame that the entering of cat should be restricted.

85. Plumbing And Sanitation

All plumbing and sanitation work shall be executed to comply with the requirements of the appropriate by laws, rules and regulations of the Local Authority having jurisdiction over such matters. The Contractor shall arrange for all necessary formalities to be met in regard to inspection, testing, obtaining approval and giving notices etc.

An overhead HDPE water tank of capacity as mentioned in list shall be provided for each building.

UPVC pipes shall be used for internal piping works for portable water supply.

86. Each toilet shall have the following minimum fittings

WC (Western Type) 390 mm high with toilet paper roll holder and all fittings in toilets attached to sub station in charge office.

WC (Indian Type) Orissa Pattern (580 x 440 mm) with all fittings shall be provided in common toilets.

Urinal (430 x 260 x 350 mm size) with all fittings.

Wash Basin (550 x 400 mm) with all fittings.

Bathroom mirror (600 x 450 x 6 mm thick) hard board backing

CP brass towel rail (600 x 20 mm) with C.P brass Brackets.

CP soap holder and CP liquid soap dispenser.

All urinals and wash basins shall be provided with built in sensors.

1 no. Stainless Steel kitchen sink with Drain board (510x 1040 x 178 mm bowl Depth) for pantry shall be provided
All fittings, fastener, grating shall be chromium plated.
All sanitary fixtures and fittings shall be of approved quality and type manufactured by well known manufactures. All items brought to site must bear identification marks of the type of the Manufacturer.

WORK SCHEDULE.

87. SITE HANDOVER:-

Handing over of the work site will be done in presence of Project Manager or its authorized representative, Resident Engineer, site engineer and contractor or its authorized representative.

The contractor has to submit the list of manpower along with contact numbers to be engaged for the work to the Project Manager.

The date of site handing over to be noted on the Site register duly signed by the Project Manager or its authorized representative, Resident Engineer, site engineer and contractor or its authorized representative.

88. WORK COMMENCEMENT:-

The work should be started only after having the following documents.

Work order

Site Register

Measurement Book

Drawings

Specifications of item & schedule of Quantity

89. SITE REGISTER:-

It will be issued along with the work order.

It will be the responsibility of the Contractor to record and update the site register with details of Day-to-Day activities and other details countersigned with seal by AEGCL.

The days on which no work is carried out should be recorded in the site register with proper justification.

Any instruction by AEGCL officials during site visit must be noted properly and should be jointly signed by the official and the contractor or its authorised representative.

In case of any disagreement, the Contractor must notify AEGCL in written.

Any deviation in works must be properly noted in the site register by the Contractor along with proper justification for it.

Progress report along with work completion percentage must be prepared by the Contractor on the basis of site register log and has to be submitted to AEGCL on 1st and 16th day of the month. In case of holiday, it should submit on next working day.

Site register shall be verified from time to time by the Site In-charge and any anomalies found will be forwarded to higher authorities in written by the Site In-charge of AEGCL.

90. PERT CHART OR BAR CHART:-

The successful bidder within 10 (ten) days before the contract is awarded will make out a detailed PERT Chart covering all activities along with detailed program chart on accepted scheme indicating various stages of execution, method of execution and completion of work in different stages keeping the period of completion in view and submit the same to the Engineer for the consideration and approval.

91. QUALITY CONTROL.

If desired by AEGCL, the contractor must perform the test on construction materials. These test listed in the document should be carried out as per Indian Standard Code specifications of the respective tests. Proper records of these tests should be maintained.

Tests for fresh concrete:

Workability: To determine the workability of fresh concrete by slump test as per IS: 1199-1959

Tests on Hardened Concrete:

Non-destructive tests:

Rebound hammer test: To assess the likely compressive strength of concrete by using rebound hammer as per IS:13311(Part 2)-1992

Compression test: to determine the compressive strength of concrete specimens as per IS:516-1959

Tests on Brick:

Testing of brick should be done as per IS 1077:1992 and related IS Codes

Compressive strength test: IS 3495(Part-1): 1992

Water Absorption test: IS 3495(Part-2) : 1992

Efflorescence test: IS 3495(Part-3) : 1992

Tests for Steel:

All reinforced steel bar should meet the specifications of IS 1786:2008

Appendix-1

COVERING LETTER (ON THE BIDDERS LETTER HEAD)

To,

(Tendering Office)

Sub: Submission of Tender.

Ref:-

NIT No.

Name of work:-

Sir,

Having examined the terms & conditions, technical specifications, detailed items of work etc. as well as acquainting myself/ourselves with site of work, surroundings to get the required materials etc. I am/we are to submit herewith my/our tender for the above mentioned work. My/our rates are quoted as per the specification laid down in the schedule of items of work.

I /We clearly understand that all materials, tools and plants, machineries, labours, testing of material, storage, haulage etc. required in the work shall have to be arranged by me/us from my/our own resources in the events of allotment of the work to me/us.

I /We also clearly understand that in the event of acceptance/approved of my/our tender, the work shall have to be executed strictly as per specifications and the same shall have to be completed in all respects within the stipulated time failing which I am/We are liable to be penalized as per rules laid down in Tender document as well as agreement thereof.

Appendix-2

PROFILE OF THE BIDDER

Hard copy of the following documents to be submitted with Techno-Commercial Bid.

Sl. No.	Particulars	To be filled by Bidder
	Name of the Bidder	:-
	Registration with Memorandum of Association	:-
	PAN	:-
	GST Registration number	:-
	Employees Provident Fund	:-
	Employees State Insurance certificate	:-
	Labour License registration	:-
	Income Tax Clearance Certificate	:-
	Professional Tax Registration	:-
	Date of Establishment/ Incorporation	:-
	Postal Address	:-
	House No.	:-
	Lane	:-
	Street	:-
	Town/Village	:-
	Post Office	:-
	P.S.	:-
	District	:-
	Pincode	:-
	Telephone Number	:-
	Mobile No.	:-
	E-Mail Address	:-
	Website	:-
	Name(s) of the Owners / Directors/Partners	:-
	Name of the Banker with Address and Telephone Number	:-
	Contact Person Details <i>(Furnish here name of that person with whom AEGCL may get in touch for more information or clarifications)</i>	Name:- Designation:- Mobile Number:- Email Address:-

Appendix-3

WORK EXPERIENCE OF THE BIDDER

Following documents to be submitted with Techno-Commercial Bid (Envelope-1)

In order to techno-commercially qualify for this Bid, the bidders have to submit 2 (two) nos. of work order along with Performance certificate for similar nature of work executed within last 5 (five) years at any Govt. Deptt., PSU etc. of value not less than Rs.....
.....

If the nature of work and value differs from the above stated conditions, it will not be considered while evaluation of technical qualification.

Sl. No.	Name of work	Nature of Work	Executed Amount	Starting Date	Completion Date

NB:- The Bidder may prepare extra sheet if required

Appendix-4

FINANCIAL QUALIFICATIONS

Following documents to be submitted with Techno-Commercial Bid (Envelope-1)

In order to techno-commercially qualify for this Bid, the bidders have to submit annual audit report for last 5 (five) years. The average of best 3 (three) years out of 5 (five) years will be considered for average annual turnover.

	Financial Qualifications:
	Minimum average annual turnover of Rs..... calculated as total certified payments received for contracts in progress or completed.
	Minimum cash flow of Rs..... showing financial resources such as liquid assets unencumbered real assets, line of credit and other financial means. Bank solvency certificate to be submitted.

NB:- The Bidder may prepare extra sheet if required

Section – 4
BID SUBMISSION SHEET, BID FORMS AND
SCHEDULES

1 Bid Submission Sheet

Name of Contract: _____

To:

The Managing Director,
Assam Electricity Grid Corporation Ltd,
Bijulee Bhawan, Paltanbazar, Guwahati-781001

Sir:

We have examined the General Conditions of Contract, Technical Specification, Schedules, and Addenda Nos _____(if any). We have understood and checked these documents and have not found any errors in them. We accordingly offer to execute and complete the said Works and remedy any defects fit for purpose in conformity with these documents and the enclosed Proposal (Offer), for the fixed sum of Rupees _____ (*insert total quoted total price in figures and words*).

We accept your suggestions for the appointment of the Dispute Adjudication Board, as set out in the Bidding Document.

We agree to abide by this Bid until _____ and it shall remain binding upon us and may be accepted at any time before that date.

If our bid is accepted, we will provide the specified performance security, commence the Works as soon as reasonably possible after receiving the notice to commence, and complete the Works in accordance with the above-named documents within the time stated in the Bidding Document.

Unless and until a formal Agreement is prepared and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Yours faithfully

Signature _____ in the capacity of _____ duly authorized to sign bids for and on behalf of

Address

2 Form of Bid Security (Bank Guarantee)

WHEREAS, _____ [Name of Bidder] (hereinafter called "the Bidder") has submitted his bid dated _____ [Date] for the construction of _____ [Name of Contract] (hereinafter called "the Bid").

KNOW ALL MEN by these presents that We _____ [Name of Bank] of _____ [Name of Country] having our registered office at _____ (hereinafter called "the Bank") are bound unto _____ [Name of Employer] (hereinafter called "the Employer") in the sum of _____ for which payment well and truly to be made to the said Employer the Bank binds himself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this ___ day of _____ 20__.

THE CONDITIONS of this obligation are:

- (1) If the bidder withdraws his Bid during the period of bid validity specified in the Form of Bid: Or
- (2) If the Bidder refuses to accept the correction of errors in his Bid; Or
- (3) if the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
 - (a) fails or refuses to execute the Form of Contract Agreement in accordance with the Instructions to Bidders, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

we undertake to pay to the Employer up to the above amount upon receipt of its first written demand, without the Employer having to substantiate its demand, provided that in its demand the Employer will note that the amount claimed by it is due to it owing to the occurrence of one or all of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 210 days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE _____ SIGNATURE OF THE BANK _____

WITNESS _____ SEAL _____

(Signature, Name, and Address)