



ASSAM ELECTRICITY GRID CORPORATION LIMITED

OFFICE OF THE MANAGING DIRECTOR

Regd. Office: (FIRST FLOOR), BIJULEE BHAWAN, PALTANBAZAR; GUWAHATI - 781001

CIN: U40101AS2003SGC007238 GSTIN: 18AAFCA4973J9Z3

PHONE: 0361-2739520 Web: www.aegcl.co.in



PUBLIC

No. AEGCL/MD/AIIB/TENDER/2020/31

Date: 08.05.2020

CORRIGENDUM-II

Tender Reference No : AEGCL/MD/AIIB/PACKAGE-L/2020/02-L
Name of Work : Augmentation of Existing Transmission lines Capacity (Three Lines) by High Temperature Low Sag (HTLS) (Package-L)

SI No	Clause of Tender Data Sheet	As existing	As amended
1	ITT 7.4	A Pre-Tender meeting shall take place on 13th May 2020 at 14.00 Hrs.	A Pre-Tender meeting shall take place on 28th May 2020 at 14.00 Hrs
2	ITT 7.5	Queries of the tenderer should reach to email address: aibworks.aegcl@gmail.com before 13th May 2020 , after which no queries from the bidder shall be entertained.	Queries of the tenderer should reach to email address: aibworks.aegcl@gmail.com before 28th May 2020 , after which no queries from the bidder shall be entertained
3	ITT 23.1	Submission of tender in on-line portal starts from 20th May 2020 till bid submission dead line as specified in the TDS.	Submission of tender in on-line portal starts from 10th June 2020 till bid submission dead line as specified in the TDS.
4	ITT 24.1	Deadline for Submission of Tender: Tenders must be uploaded online no later than the 12th June 2020 at 13.00 Hrs	Deadline for Submission of Tender: Tenders must be uploaded online no later than the 29th June 2020 at 13.00 Hrs
5	ITT 27.1	Tender Opening Date and Time: 13th June 2020 at 15.00 Hrs	Tender Opening Date and Time: 30th June 2020 at 15.00 Hrs

Note: If physical pre-bid meeting cannot be happening considering the COVID-19 situation, pre-bid meeting shall be conducted through video conference and notified accordingly.

SD/-

Project Director (AIIB)

Assam Electricity Grid Corporation Limited

1st Floor, Bijulee Bhawan, Paltan Bazar

Guwahati-781001, Assam, India

E-mail: aibworks.aegcl@gmail.com, Phone No: 08876087871