

ASSAM ELECTRICITY GRID CORPORATION LIMITED

OFFICE OF THE DEPUTY GENERAL MANAGER

UPPER ASSAM T&T CIRCLE, GARMUR, JORHAT-07



TENDER DOCUMENT

NOTICE INVITING TENDER NO: AEGCL/DGM/UATTC/PSDF/T-6/2019/2412 dt 12/06/19

Name of work

Earthing, PCC and related works at various GSS of AEGCL under PSDF

Work Site & Group

132 KV GSS, Margherita, Group E16

Tender cost amounting to Rs

Deposited in the form of

Vide

Issued to

Address

Signature of Contractor/Firm

Deputy General Manager
UAT&T Circle, AEGCL,
Garmur, Jorhat-07

- (A) **INFORMATION TO BIDDER:**
1. **NAME OF WORK: - Earthing, PCC and related works at various GSS of AEGCL under PSDF.**
 2. **LOCATION OF WORK:-** 132 KV GSS, Margherita, Group E16
 3. **TENDER ADDRESS:-**Office of the DGM, UATTC, AEGCL, Garmur, Jorhat.
4. **BIDDING PROCEDURE:-**
- a) All tenders shall have to be submitted in prescribed forms attached herewith eventually to be drawn up in the rules of AEGCL.
 - b) Two different envelopes to be used as follows.
Envelope-1: Bid document signed by bidder on all pages, Tender Document cost, Earnest Money, Techno-commercial data of the Bidder and other necessary documents must be enclosed.
Envelope-2: Price Bid
 - c) All tenders shall have to be submitted under sealed & signed covers super-scribing the Tender Notice No and name of the work completely and clearly on the top of the cover.
 - d) All tenders shall have to be submitted on or before the last date and time of submission of tenders either by post or in person.
 - e) If Bidders desire to submit their Bid by post, at their own expenses, it should be posted well in advance so as to ensure that their tenders reach the office of the tendering address on or before the specified date and time of submission of tender. AEGCL will not take any responsibility for loss, damage, tempering or delay of tenders sent by post.
 - f) Bidder submitting Bid in person should submit their Bid in the tender box during the working hours on the last date and time of submission of tender.
 - g) Tender will be rejected if submitted beyond the aforesaid time and date.
 - h) Tenders or their authorized representatives may remain present during the opening of the tenders.
 - i) Only Price Bid of responsive Techno-Commercial Bidders will be opened.
 - j) AEGCL has the right to cancel the tender at any moment, without assigning any reason thereof. Bidder will not be entitled to claim any expenses and AEGCL will not be responsible for any costs or expenses incurred on the preparation and submission of the Bids.
 - k) Bidders may obtain further information from the office of the **Deputy General Manager, UATTC, AEGCL, Garmur, Jorhat** or Office of the Deputy General Manager (civil), AEGCL, Bijulee Bhawan, Paltan Bazar, Guwahati - 781001, Assam [phone: 0361 2731386, e-mail: dgmcivilaegcl@gmail.com; Web site: www.aegcl.co.in]. [For the purpose of preparation of their bid, participant may download the bid document by visiting the website, www.aegcl.co.in]
5. **KEY DATES:-**
- a) Bid Document Available on website date:- 12.00 Hrs. of **14/06/19**
 - b) Bid Submission Start Time & date:- 12.00 Hrs. of **14/06/19**
 - c) Bid Submission End Time & date:- 14.00 Hrs. of **15/07/19**
 - d) Techno-Commercial Bid Opening Time & date:- 14.30 Hrs. of **15/07/19**
6. **TENDER PAPER COST AND MODE OF PAYMENT:-**
Bidder has to pay Non-Refundable tender document cost @Rs. 1,000.00 (Rupees one thousand) only in the form of DD in favour of the Managing Director, AEGCL, Bijulee-Bhawan, Paltanbazar, Guwahati-1, payable at Guwahati. The original copy of the DD/Banker's Cheque must be submitted along with relevant documents in the Envelope-1.
7. **BID SECURITY/EARNEST MONEY AND MODE OF PAYMENT:-**
- a) For participation in bidding procedure, participants must compulsorily pay the Bid Security of Rs 20,000.00 (Rupees Twenty thousand) only in the form of Fixed Deposit/Bank Guarantee in favour of the Managing Director, AEGCL, Bijulee-Bhawan, Paltanbazar, Guwahati-1, payable at Guwahati. The original copy of the Bid Security must be submitted along with relevant documents in the Envelope-1.
 - b) The bid security of the successful Bidder shall be returned as promptly as possible once the successful Bidder has signed the Contract and furnished the required performance security.
 - c) The bid security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder's furnishing of the performance security.
 - d) The bid security may be forfeited:-
 - (i) if a Bidder withdraws its bid during the period of bid validity period.
 - (ii) if the successful Bidder fails to sign the Contract within the specified period.
 - (iii) if the successful Bidder fails to furnish a performance security within 15 (fifteen) days' time of issue of Letter of Intent (LOI).
8. **PERFORMANCE GUARANTEE:-**
- a) The materials and entire work is to be guaranteed against defective design, materials and workmanship

and for satisfactory performance for a period of 365 days from the date of final acceptance of the completed work. Performance Guarantee will be in the form of Bank Guarantee of 10% of the contract amount.

- b) The successful Bidder shall have to deposit through a Bank Guarantee from a Nationalized or scheduled Bank of RBI in AEGCL's standard proforma on non-judicial stamp of appropriate value for an amount equivalent to 10% (ten percent) of the total value of the order as performance security, within allotted time on acceptance of letter of intent/detailed orders (as the case may be), duly pledged in favour of the Purchaser concerned (AEGCL) and such security deposit shall be valid up to 30 days beyond the warranty period of 12 (twelve) months.
- c) If the contractor/firm fails or neglects to observe and perform any of his obligations under the contract, Purchaser (AEGCL) shall have the right to forfeit, either in full or in part at his absolute discretion, the security deposit furnished by the contractor/firm.
- d) If the value of the work increases from original ordered value, the contractor has to provide performance guarantee for additional amount.
- e) No interest shall be payable on such deposits.

9. CLARIFICATIONS:-

- a) A prospective Bidder requiring any clarification of the Bidding Document shall contact the AEGCL in writing at the AEGCL's address indicated in the Bid Document or raise his enquiries prior to 7 (seven) days of closing of the bid. AEGCL will respond to any request for clarification if deemed necessary. Should AEGCL deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so.
- b) The Bidder is advised to visit and examine the site where the work is to be Carried out and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract. The costs of visiting the site shall be at the Bidder's own expense.
- c) The Bidder and any of its personnel or representatives will be granted permission by AEGCL to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder and its personnel will release and indemnify the Employer and its personnel from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

10. VALIDITY OF BID:-

- a) Bid shall remain valid for the period of 180 days after the submission deadline date prescribed by AEGCL. In exceptional circumstances, prior to the expiration of the Bid validity period, AEGCL may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing.

11. TIME OF COMPLETION:-

- a) The allotted time of completion for the work is 180 days from the handing over of the site. Moreover the General Manager (HQ) and DGM (Civil) must be intimidated in written about the handing over of the site to the contractor along with all necessary details.

12. DISCLAIMER:-

- a) AEGCL is not committed contractually in any way to those Bidders whose Bid are accepted. The issue of this Bid does not commit or otherwise oblige AEGCL to proceed with any part or steps of the process.

13. AMENDMENT OF TENDER DOCUMENT:-

- a) At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Document by issuing addenda.
- b) To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, AEGCL may, at its discretion, extend the deadline for the submission of bids.
- c) Any corrigendum/Addendum/modifications issued to the bid documents will be published on the website mentioned above will be part of the Bid Document.

14. LANGUAGE OF BID:-

- a) The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and AEGCL, shall be written in the English and / or Assamese language.

15. NEGOTIATION WITH BIDDER:-

- a) The AEGCL reserve the right to hold negotiations with lowest bidder if AEGCL feels the quoted rates of particular item(s) are unreasonably high. The bid must be valid, eligible and technically acceptable and considered for award of contract.

16. VERIFICATION OF DOCUMENTS:-

- a) AEGCL reserves the right to verify the documents submitted by the bidders with issuing authority and if any abnormalities are observed in the same, their bids will be rejected.

17. RIGHT TO REJECT:-

- a) AEGCL reserves the right to reject any or all the bids without assigning any reason thereof and AEGCL further reserves the right to split up the work order in favour of more than one Contractor. AEGCL also reserves the right to reject the lowest or any other price without assigning any reason. The clauses which

are not appearing in this Bid document will be as per The General Condition of Supply and Erection 2009 of AEGCL. The General Condition of Supply and Erection 2009 of AEGCL is available in the AEGCL's website www.aegcl.co.in.

(B) ELIGIBILITY QUALIFICATION.

1. ELIGIBLE BIDDERS:-

- a) A Bidder may be a private entity or a government-owned entity or any combination of such entity with the intent to enter into an agreement supported by a letter of intent or under an existing agreement in the form of a joint venture, consortium or association. **Also the bidder must be an empanelled contractor of AEGCL.**
- b) In the case of the Joint Venture (JV):-
When the bidder is a Joint Venture (JV) of two or more firms as partners, all partners shall be jointly and severally liable. The JV shall legally authorize one of the partners as the lead partner for the purpose of submitting the bid, incur liabilities; receive payments and instructions on behalf of the others. A copy of the registered JV agreement, executed on Non judicial stamp paper, shall be submitted with the bid. However, in case of successful bid, the agreement shall be signed by all the partners, so as to be legally binding on all the partners.
- c) A Bidder, and all partners constituting the Bidder, shall have Indian nationality.
- d) AEGCL considers a conflict of interest to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations, and that such conflict of interest may contribute to or constitute a prohibited practice under Anticorruption Policy of Government of India and Government Of Assam. In pursuance Anticorruption Policy's requirement that Employer as well as bidders, suppliers, and contractors observe the highest standard of ethics. AEGCL will take appropriate actions if it determines that a conflict of interest has flawed the integrity of any procurement process.
- e) Consequently all Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process if, including but not limited to:-
 - f) they have controlling partners in common; or
 - g) they receive or have received any direct or indirect subsidy from any of them; or
 - h) they have the same legal representative for purposes of this bid; or
 - i) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
 - j) a Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the plant and services that are the subject of the bid.
- k) A firm that is under a declaration of ineligibility by the AEGCL or any Government Entity or PSU at the date of the deadline for bid submission or thereafter i.e. on or before contract signing date shall be disqualified.
- l) Bidders shall provide such evidence of their continued eligibility satisfactory to the AEGCL, as the Employer shall reasonably request.
- m) In case a prequalification process has been conducted prior to the bidding process, this bidding is open only to prequalified Bidders.
- n) The bidder must have experience of execution of work of similar nature previously. The bidder must submit experience and Performance Certificate for scrutiny by AEGCL.
- o) A person, Firm or any other prospective bidder who is involved in fraud, unethical practices or barred from submitting bids by AEGCL or any sister concerns of AEGCL i.e. APDCL & APGCL will not be allowed to participate in the bids. If such cases are detected after submission of the bids, in later stages of the bidding process, then such bids will be rejected outright.

2. LEGAL ENTITY:-

- a) Verification may be undertaken to verify that an applicant is a bona-fide registered company or business. Bidders are required to provide evidence of the legal entity by providing a copy of an official document as mentioned in the appendix attached along with this bid document.

3. TECHNICAL QUALIFICATION:-

- a) The bidders must have a valid Electrical license. Preference will be given to those having Class I Electrical License.
- b) In order to qualify technically for this Bid, the bidders have to furnish experience of similar nature of work executed within the last 7 years at any Govt. Deptt., PSU etc. conforming to **either of** the following requirements:

Sl No	Description	Amount not less than (Rs)
1	3 (three) similar completed works	3,91,000.00
2	2 (two) similar completed works	4,89,000.00

3	1 (one) similar completed work	7,82,000.00
---	--------------------------------	-------------

If the nature of work and value differs from the above stated conditions, it will not be considered while evaluation of technical qualification.

- c) **The bidder must employ at least one supervisor having Valid HT supervisory license from Govt. of Assam. Supporting documents establishing the same is to be submitted along with the bid.**

4. **FINANCIAL QUALIFICATION:-**

- a) Minimum average annual turnover of Rs 2,94,000. (Rupees Two lakh Ninety-four thousand) only calculated as total certified payments received for contracts in progress or completed, within the last 3 (Three) Years, ending 31st March of the previous financial year. Audited Balance sheet must be furnished as a proof of annual turnover. Any other form of supporting documents instead of Audited balance sheet will not be accepted.
- b) Current bank solvency certificate must be submitted to show the bidder's financial position.

5. **EVALUATION CRITERIA:-**

- a) The Techno-Commercial Evaluation will be done on the basis of technical qualification, Financial qualifications and fulfilment of the legal conditions.
- b) The Price Bid of only Responsive Techno-Commercial Bidders will be opened and intimation will be issued in due course.

(C) **GENERAL CONDITIONS OF CONTRACT:**

1. **INSPECTION OF SITE:-**

- a) The Bidder is advised to visit and examine the site where the work is to be carried out and its surroundings, nature of work, site conditions, area for storage of materials, establishment of labour camp, site office, means of access to the site etc. and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract. The costs of visiting the site shall be at the Bidder's own expense. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the work in strict conformity with the specifications & requirement.

2. **PREPARATION OF BID:-**

- a) Cost of Bidding:
The Bidder shall bear all costs associated with the preparation and submission of its Bid, and AEGCL shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- b) Documents Establishing Conformity of the Goods and Services:-The documentary evidence of the conformity of the goods and services to the Bidding Document may be in the form of letter, drawings and data, and shall furnish. A detailed description of the essential technical and performance characteristics of the goods and services, including the functional guarantees of the Goods, in response to the specification.
- c) Bidder should note clearly that department should not take any responsibility for issuing of any materials, equipment and T&P's that may be required in the work.
- d) All materials, labours, equipment, T&P and heavy vehicle etc. required in the work shall have to be arranged by the bidder/contractor from his own sources in the event of allotment of the said work to him/them.
- e) Water to be used in the work should be clean and free from all impurities; the bidder should note that no water will be provided to them for the execution of the work from the department
- f) The department is also not bound to supply power that may be required in the execution of the work. However subject to the availability of the power source near the vicinity of the work site, the department on payment of tariff as applicable at the time of execution of work may arrange one point near the work site.
- g) The bidder should clearly understand that all materials to be utilized in the work must confirm to the specifications. No substandard materials will be allowed to utilize in the work. Samples of each and every materials to be brought to the site of work shall have to be get approved by the competent authority of the department before use.
- h) The contract must not be sublet under any circumstances. If any contractor found in doing so, his work liable to be terminated.
- i) The specification for the work shall be as per specification laid down in the items of work contained in the enclosed schedule of items of work or as per the APWD schedule of rates for Building (civil works), sanitary and Water supply and internal electrification respectively (whichever is applicable) but, certain modification in the specification and method of execution of work if required shall have to be carried out which shall be finalized with the contractor bilaterally through discussion.

3. **PRICE BID:-**

- a) Unless otherwise specified in the Bid Document and/or AEGCL's Requirements, bidders shall quote for the entire plant and services on a single responsibility basis such that the total bid price covers all the Contractor's obligations mentioned in or to be reasonably inferred from the bidding document in respect of the including procurement, delivery, testing of materials, construction, labour cost, insurance, statutory requirements, and any other expenditure deemed necessary for completion of the Work. The rate should also include the cost of testing of materials at the approved laboratory, carriage and

transportation of sample, preparation of report, submission of report in all respect as required by AEGCL. This includes all requirements under the Contractor's responsibilities for completing the work and where so required by the bidding document, the acquisition of all permits, approvals and licenses, etc.; the operation, maintenance and training services and such other items and services as may be specified in the Bidding Document, all in accordance with the requirements of the General Conditions. Items against which no price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed to be covered by the prices for other items.

- b) Bidders are required to quote the price for the commercial, contractual and technical obligations outlined in the bidding document.
- c) Bidders quoted price should include all cost of testing of materials, transportation of sample, storage, preparation and submission of report during approval period, construction period as well as after completion of the work.
- d) Bidders quoted price should include all cost of testing of concrete (destructive or non destructive) transportation of sample, storage, preparation and submission of report.
- e) Taxes like work contract, income tax etc. which need to be deducted at source as per the prevailing law, will be deducted at source.
- f) The Bided Price should on Fixed Price basis, prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account.

4. SITE FACILITIES:-

- a) AEGCL will not provide any accommodation at the work site to the contractor and their field personnel. The same has to be arranged by the contractor on their own. However, AEGCL may provide space for storage of the materials but responsibility of the material and their safety shall be taken care of by the Contractor. In case of none availability of space under AEGCL the same should be arranged by the contractor outside AEGCL campus/work site at their own cost and responsibility.
- b) AEGCL shall not be responsible for the safety of the workers at site either on account of the works executed by the Contractor or on account of the works executed by any other agency involved at that time.
- c) AEGCL shall on no account be responsible for the expenses incurred by the Contractor during the progress of work at site, towards any incidental expenditure like medical amenities to the workers at site, security arrangements.
- d) The quoted price shall be deemed to include charges for all site facilities for labour that are considered necessary for execution of the work. Subject to availability of land, AEGCL may provide free site for labour camp, construction of yard etc. close to site of work.
- e) No assurance can be given regarding the availability of AEGCL's land given for use to the Bidder to natural calamities. AEGCL undertakes no responsibility or liability in this regard.
- f) The bidder shall make his own arrangement for arranging power supply as may be required for work. AEGCL may, however assist in recommending his/their application to the Electricity Supply Utility for the power supply on payment basis as per norms of the Electricity Supply Utility.
- g) No claim shall be entertained from the bidder for making his own arrangement for approach roads from outside PWD road to the site and bidder will bear entire expenses.
- h) AEGCL on no account shall be responsible for storage of materials or loss or pilferage or theft either in respect of the material stored or material already billed and paid for by the AEGCL.
- i) Any facilities available at site shall be utilized only with prior permission of AEGCL and it should not be taken as granted for availing such services.

5. DEFECT AFTER COMPLETION OF WORK:-

- a) The contractor shall make good at his own cost and to the satisfaction of AEGCL all defects, or other faults which may appear during the defect liability period. In default, AEGCL may employ and pay other agency or persons to amend and make good such damages. Losses and expenses consequent thereon or incidental thereto shall be made good and borne by the contractor, failing which the same shall be recoverable from the payment due to the contractor and performance guarantee. In the event of amount due and performance guarantee being insufficient, the balance amount will be recovered from the contractor from the amount due or retained for other works executed in AEGCL.

6. DEVIATION/ERROR IN DRAWING AND SPECIFICATIONS.

- a) In case of non-suitability of drawing or specifications, the matter to be brought to the notice of Competent Authority without any delay. Any modification or deviation should only be done after approval of Competent Authority.
- b) In case of any omission and error in the drawing and specification the same procedure as above should be followed.

7. VARIATION AND DEVIATION OF QUANTITY:-

- a) The Tendered rates shall hold good for any variations in the Tendered quantities for completion of work on account of any modification in the bill of quantities or design or specification. AEGCL shall have the right to increase the ordered quantity by 20% within 50 days of the period of completion and the same shall be carried out at the same rates/prices and terms and conditions stipulated in the order except in

regard to completion schedule, which shall be mutually agreed upon in case of enhancement of the ordered quantity.

b) Deletion of work:

AEGCL and its representative have the right to delete or decrease any item or quantity from schedule of quantity at its discretion if deemed necessary. No claim by the contractor will be admissible for this deletion or deduction of Item/quantity from schedule of quantity.

8. LABOUR LEGISLATION:-

- a) The Bidder shall comply with the provisions of the Apprentices Act 1961, payment of Wages Act 1936, Minimum Wages Act 1948, Employees Liability Act 1938, Workmen's Compensation Act 1923, Industrial Disputes Act 1947, Maternity Benefits Act 1961, and the Contract Labour (Regulation and Abolition) Act 1970, Provident Fund Act or the modifications thereof or any other laws relating thereto and the rules made there under from time to time.
- b) The Bidder shall indemnify and keep indemnified AEGCL against payments to be made under and for the observance of the laws aforesaid and the Contractors' Labour Regulations without prejudice to his right to claim. The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.
- c) The Bidder shall at his own expense arrange for all the safety provisions for the safety of all workers and employees directly or indirectly employed on the work by the Bidder.
- d) The Bidder shall be fully responsible at his own expenses for compliance all the labour regulations and rules to be observed by them. The Bidder shall fully indemnify AEGCL against any action by the state and/or Central Government for any default or alleged default by the Bidder for violation of any of such rules and regulations. If, due to any default of the Bidder, AEGCL has to incur any expenditure for compliance of the rules and regulations or for any other reason connected with such default, AEGCL shall be entitled to recover from the Bidder all such expenditure in full from any payment due to the Bidder.

9. GOVERNMENT AND LOCAL RULES:-

- a) The Contractor shall conform to the provisions of all local bye-laws and acts relating to the work and to the regulations etc. of the Government and Local Authorities and of any Company whose system and design is proposed to be connected/utilized. The cost, if any, shall be deemed to have been included in his quoted rates, taking into account all liabilities and shall indemnify AEGCL against such liabilities and shall defend all actions arising from.

10. ELIGIBILITY OF CONTRACTORS EMPLOYEES:-

- a) The Contractor shall employ in and about the Execution of the works only such persons as are skilled and experienced in their several trades. A list of such personal should be submitted in corresponding Appendix.

11. ENGINEER AT LIBERTY TO OBJECT:-

- a) AEGCL's Site in-charge shall have right to remove any person provided by the Contractor who, in the opinion of the Site in-charge, misconducts himself, or is incompetent or negligent in the proper performance of his duties, or whose presence on Site is otherwise considered by the Engineer to be undesirable, and such person shall not be again allowed upon the Works without consent of the Engineer. Any person so removed from the Works shall be replaced immediately without hampering the work.

12. TAXES:-

- a) Any taxes, royalties and duties as per Govt. Law should be responsible of the contractor and must be included in their quoted rate.

13. INSURANCE:-

- a) The bidder shall arrange for any pay/cost of personnel accident insurance, medical treatment etc. in respect of their employees assigned to the works for all time and shall govern by Law of the land.

14. DAMAGE TO PERSON AND PROPERTY:-

- a) The Contractor shall be responsible for all injury to the work or to workmen, to persons, animals or things and for all damages to the structural and/or decorative part of property which may arise from the operations or neglect of contractor or its employees, against whether such injury or damage arise from carelessness, accident or any other cause whatsoever in any way connected with the carrying out of this Contract. The Contractor shall at his cost effect the insurance necessary and indemnify AEGCL entirely from all responsibility in this respect. The scope of insurance is to include loss or damage to the work and workmen due to carelessness, accident including fire, earthquake, floods, all medical expenses, compensation to be borne in the event of accident etc., damage or loss to the Contract itself till this is made over a complete state. Insurance is compulsory and must be affected from the very initial stage and should cover the entire contract period till handing over of complete works. The Contractor shall also be responsible for anything which may be excluded from damage to any property arising out of incidents, negligence or defective carrying out of this Contract.

AEGCL shall be at liberty and is hereby empowered to deduct the amount of any damages, compensations, costs, charges and expenses arising or occurring from or in respect of any such claim or damages from any sums due or to become due to the Contractor.

15. ACCEPTANCE OF BID AND CONTRACT AGREEMENT:-

- a) An agreement shall have to be drawn on non-judicial stamp of appropriate value with AEGCL by the selected Contractor in AEGCL's General Conditions of Supply and Erection 2009 of contract within 10 (ten) days from the date of issue of the LOI.

Wherever there is any variation in between the conditions of AEGCL's General Conditions of Supply and Erection 2009 and the above terms & conditions, this bid conditions will supersede the conditions of AEGCL's General Conditions of Supply and Erection 2009.

16. STATUTORY AND SAFETY REQUIREMENT:-

- a) Each and every safety measures for MAN and MACHINE will be the sole responsibility of the Contractor without any prejudice. Compensation claim if any will also be the responsibility of the contractor without any prejudice.
- b) During the execution of the work, the contractor shall have to mark the site with banner warning/indicating precautions.
- c) The Contractor shall, throughout the execution and completion of the Works and the remedying of any defects therein:
- d) Have full regard for the safety of all persons entitled to be upon the Site and keep the Site (So far as the same is under his control) and the Works in an orderly state appropriate to the avoidance of danger to such persons, and
- e) Provided and maintain at his own cost all lights, guards, fencing, warning signs and watching, when and where necessary or required by the Engineer or by any duly constituted authority for the protection of the Works or for the safety and convenience of the public or others, and Take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods.

17. PAYMENT TERMS:-

- a) No advance/Mobilization advance shall be made in this contract.
- b) No claim for interest shall be entertained by AEGCL.
- c) Two no's of Running bill payment will be made on completion of 30% and 60% of the work in terms of value.
- d) Running Bill must contain certified photocopies of Site Register of up to date work executed and photograph of work in sequence of execution duly signed with seal by AEGCL.
- e) Final bill must contain the original site register.
- f) Final payment shall be released to the contractor only after completion of the work in all respect and final acceptance by AEGCL.
- g) Payment is subject to availability of specific fund.
- h) The Bidder / Firm will have to be submitted the following Net Banking details.
- Banker's Name & Branch
 - Account No
 - Banker's address
 - Banker's IFSC Code
 - Banker's RTGS Code

18. RETENTION MONEY:-

- a) 10% retention money will be deducted from running bill, which will be released along with the final bill on completion of the work in all respect.

19. WARRANTY:-

- a) The term period of warranty shall mean the period of 12 months from the date of Taking Over of the Work by AEGCL. A Taking over Certificate (TOC) will be issued by the appropriate authority.

20. EXTENSION OF TIME:-

- a) Time is the essence of the contract. No extension of time shall normally be allowed except on valid and genuine ground.

21. CHANGE OF NAME OF THE TENDERER:-

- a) At any stage after tendering, AEGCL shall deal with the Contractor only in the name and the address under which he submitted the tender. All the liabilities/ responsibilities for due execution of the contract shall be that of the Contractor.
- b) Any change/ alteration of name/ constitution/ organization of contractor shall be duly notified to the AEGCL and the AEGCL reserves the right to determine the contract, in case of any such notification.

22. DEATH, BANKRUPTCY ETC.:-

- a) If the Contractor becomes bankrupt or being a corporation is in the process of winding up, amalgamation or reorganization, the AEGCL shall be at liberty to:
- i. Terminate the contract forthwith by notice in writing to the Contractor or to the liquidator or receiver or to any person in whom the contract may become vested.
 - ii. Give such liquidator, receiver or other person the option of carrying out the contract subject to his providing a guarantee for the due and faithful performance of the contract up to an amount to be determined by the AEGCL.
- b) In case of death of the Contractor before completion of work and supply, the Engineer or AEGCL shall be at liberty to:

- i. Close up the contract and take over the completed portion of work done and made as per specification and make final payment to the legal heir of the Contractor on receipt of claim from such legal heir.
 - ii. Give the contract to the legal heir of the Contractor subject to his depositing a performance security for the due and faithful performance of the contract. The performance security amount shall be determined by the AEGCL commensurate with the incomplete portion of the work. The AEGCL will enter into a fresh contract with the legal heir of the Contractor on the same terms and conditions of the earlier contract.
- 23. CONTRACTUAL FAILURE, LIQUIDATED DAMAGE AND PENALTY:-**
- a) Liquidity Damages 1.0% (one percent) of the amount of delayed work per week subjected to the maximum 10 % of the contract value.
- 24. TERMINATION OF CONTRACT:-**
- a) If the performance of the contract is not satisfactory and not corrected within 15 days of receiving notice, then employer shall be at liberty to terminate the contract and get the work executed through other means at the risk and cost of the Contractor.
- 25. PAYMENT ON TERMINATION:-**
- a) In the event of termination of the contract, AEGCL shall be at liberty to get balance work done by any third party at the risk and cost of the contractor and due payment of the contractor, if any shall be released after the completion of whole of the works.
- 26. SUSPENSION OF BUSINESS DEALINGS WITH FIRMS/ CONTRACTORS:-**
- a) The AEGCL may suspend business dealings with a Firm/ Contractor, if:-
 - i. The Central Bureau of Investigation or any other investing agency recommends such a course in respect of a case under investigation; and if a prima facie case is made out that the firm is guilty of an offence involving unethical, unlawful, fraudulent means in relation to business dealings, which, if established, would result in business dealings with it being banned.
 - ii. The AEGCL has past record of non-performance of the Firm in its previously awarded contracts.
 - iii. The AEGCL has record of ban against the Firm by other Government /Public sector utility.
 - b) However, the AEGCL shall give the Firm/ Contractor a fair chance to explain the circumstances of such previous suspensions.
- 27. BANNING OF BUSINESS DEALINGS WITH FIRMS/CONTRACTORS:-**
- The AEGCL may ban business dealings with a Firm/ Contractor, if:-
- a) The owner (s) of the Firm/ Contractor is convicted by a court of law following prosecution for offences involving unethical, unlawful, fraudulent means in relation to business dealings.
 - b) There is strong justification that the Firm has been guilty of malpractices such as, bribery, corruption, fraud, substitution of tenders, interpolation, mis-representation, evasion or habitual default in payment of any Government tax etc.
 - c) The Firm continuously refuses to return government dues without showing adequate cause and government are reasonably satisfied that this is not due to reasonable dispute which would attract proceeding in arbitration or court of law.
 - d) The Firm is found guilty of involving in unethical practices, such as:-
 - i. "corrupt practice" involving offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the action of any such official/ party in procurement process or in contract execution.
 - ii. "fraudulent practice" involving misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract to the detriment of the Employer.
 - iii. "collusive practice" involving a scheme among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition.
 - iv. "coercive practice" involving harming or threatening to harm directly or indirectly, persons or their property to influence procurement process or the execution of a contract.
- The AEGCL may sanction a Firm/ Contractor or its successor, including declaring ineligible, indefinitely or for a period of not less than 3 (three) years.
- 28. FORCE MAJEURE CONDITION**
- a) Force Majeure condition shall be considered as any circumstances beyond reasonable control of the party claiming relief, including but not limited to strikes, lockout, civil commotion, riot insurrection, hostilities, mobilization, war, fire, flood, earthquake, malicious damage or accidents could entitle contractor to extension time. Any such delay should intimated within 10 (ten) days from the beginning of such delay to consider/approved, any claim without prior information may not be considered under force Majeure.
- 29. SETTLEMENT OF DISPUTE AND ARBITRATION:-**
- a) Any dispute arising out of the contract will be first settled bilaterally between AEGCL and Contractor. In case, dispute cannot be settled bilaterally, it will be referred to arbitration. The contractor shall not stop the work during settlement of any dispute. All disputes shall be subjected to the jurisdiction of District Court of respective District of work.
- 30. POLLUTION AND ENVIRONMENT:-**
- a) Each and every measure should be taken to adhere to the standard norms to avert any occasion of Air Pollution, Water Pollution, Soil Pollution and Sound Pollution. In case of any deviation leading to any

legal action the Contractor will be solely responsible without any prejudice.

31. ACCEPTANCE AND TAKEOVER:-

- a) When the term of contract shall be fully complied with completing all works as per approved drawing and technical specifications to the satisfaction of the Department for a period as applicable, the Contractor/Firm shall have to submit Performance Certificate to the office of the undersigned after the satisfactory completion of the work through the executing authority for finalization of the work/payment as well as for the final acceptance and taking over the completed work and to issue the necessary certificate thereof.

(D) GENERAL SPECIFICATIONS OF WORK.

1. SCOPE:-

The brief description of scope covered under this bidding document is furnished below:

- a) Supply of Earthen Flats, Rod Electrodes, Pipe Electrodes, Ground Wire and earthing of equipments and structures with the existing earth mat and construction of treated earth pits, Switch yard PCC, recovery and relaying of gravel of the switchyard etc as brought out in the Specification and Schedule of Requirements as per this Section.
- b) The price quoted shall include cost of the materials and labour to complete the job in all respects as per Bill of Quantity and Specifications laid out in this section.
- c) All works required for site preparation will have to be carried out by the contractor at his own expense, whenever directed by the Site In-charge.

2. GENERAL:-

- a) The intent of this Section of the Specification is to cover requirements, which are to be followed in construction of earth pits including erection of pipe electrodes, rod electrodes and the connection to the existing Earth mat in the Switchyard and Switchyard PCC as well as gravelling.
- b) The work shall be carried out according to the design/drawings/specifications to be provided by AEGCL. Certain minimum requirements are indicated in this Section for guidance purposes only. However, the contractor shall quote according to the complete requirements.
- c) The bidder must employ at least one supervisor having valid HT supervisory license from Govt. Of Assam.

3. SURFACE PREPARATION AND STONE SPREADING INCLUDING PCC SPECIFICATIONS:-

- a) Before taking up PCC base (1:3:6) and stone filling, the area shall be thoroughly de weeded including removal of roots and recovery of existing gravel.
- b) The contractor shall have to prepare the site by earth cutting or filling as per the site condition to arrive at the required level. Contractors are advised to visit their relevant sites to assess the requirements of earth work before quoting.
- c) The surface of the switchyard area shall be maintained, rolled/compacted to the line and grades as decided by the Engineer-in-Charge. De-weeding including removal of roots shall be done before rolling is commenced. Engineer-in-Charge shall decide final formation level so as to ensure that the site appears uniform devoid of undulations.
- d) A base layer of PCC of 80 mm thickness with proportion of 1:3:6 shall be provided before spreading of crushed rocks. PCC base shall be done in panels of 4m x 4m with expansion gap of 25 mm between panels. The gaps shall be filled with bitumen. Each panel shall be provided with 4 nos of PVC pipes (per panel) of 100 mm dia of length 450 mm for soaking of water. The pipes will be provided with gratings at the top and shall be flushed with PCC top.
- e) Over the PCC layer, a surface course of min 100 mm thickness of broken stone shall be spread. For this purpose, the recovered gravel from the switchyard shall be used. Any additional quantity of gravel required to achieve 100 mm thickness shall be supplied by the contractor.
- f) The ground levelling activities shall be done on such a manner that after construction of PCC and spreading of gravel as per specified requirements, clearance from the top of the gravel layer to the plinth should be min 300 mm.
- g) *The Bidder should note that the price quoted shall be inclusive of cost of all activities for site preparation, such as cleaning the area, earth filling, earth cutting, levelling etc. It is advised that the bidders should visit the concerned sites before finalising their bids.*

4. EARTHING SYSTEM:-

- a) The main earth mat of the entire switchyard is already in place.
- b) All conductors buried in earth and concrete shall be GI. All conductors above ground level and earthing leads, cable trench earthing shall be of galvanised steel.
- c) Light poles, junction boxes on the poles, cable and cable boxes/glands, lockout switches etc shall be connected to the earthing conductor running along with the supply cable which in turn shall be connected to earthing grid conductor at a min 2 points.
- d) The metallic switchyard security fencing may not be connected to the sub station earth grid. The security fencing shall be earthed by running a separate 40 mm dia MS rod earthing conductor along the fence along with 40 mm dia rod electrodes of 3000 mm long at regular intervals and at each corner.
- e) **For transformer earthing, two electrodes are to be connected to treated earth pits and the same shall be connected to the existing earth mat. Also, LAs on HV and LV side of the transformer are**

- to be earthed using one electrode which shall be connected to the earth mat.
- f) In effective/damaged equipment/structure earthing identified for the substation equipments in coordination with the concerned RE shall be properly earthed using electrodes and GI flats are required.
 - g) Placing of electrodes should be such that if the length of the earth electrode is “1”, the next electrode should be placed at “21” distance from the first.
 - h) Security fencing should be separately earthed. At max 4 no of 40 mm dia rod electrodes of 3000 mm long electrodes may be used for the earthing of the fencing on each side.
 - i) Parts of the switchyard where earthing mat (main mesh) does not exist at present, (if any) as identified by the concerned RE or as per BoQ an necessary earthing activities shall be undertaken.
 - j) Also, the proper earthing of KIOSKs as per directions of the concerned RE in the switchyard and depending on the availability of earth mat in the area of the switchyard, necessary earthing activities are to be carried out.
 - k) One no of 40 mm dia, 3000 mm long earth electrode with test link, CI frame and cover shall be provided to connect each down conductor of surge arrestors, CVTs, lightning masks and towers with peak.
 - l) For substation equipments, the connection between existing earthing pads and the earthing grid shall be made by two short earthing leads (one direct and another through the support structure) free from kinks and splices. In case earthing pads are not provided on the tem to be earthed, same shall be provided in consultation with purchaser.
 - m) All lightning panels, junction boxes, receptacle fixtures, conduits etc shall be ground in compliance with provision of I.E. rules.
 - n) Each earthing lead from the neutral of the power transformer/reactor shall be directly connected to two electrodes in treated earth pit which in turn, shall be buried in cement concrete pit with a cast iron cover hinged to a cast iron frame to have an access to the joints. All accessories associated with transformer/reactor like cooling banks, radiators etc shall be connected to the earthing grid at minimum two points.
 - o) Neutral points of systems of metallic enclosures and frame works associated with all current carrying equipment and extraneous metal works associated with electric system shall be connected to the existing earth mat.
 - p) Earthing connections with equipment earthing pads shall be bolted type. Contact surfaces shall be free from scale, paint, enamel, grease, rust or dirt. Two bolts shall be provided for making each connection. Equipment bolted connections, after being checked and tested shall be painted with anti-corrosive paint/compound.
 - q) The 75 x 12 mm GI flat shall be clamped with the equipment support structures at 1000 mm interval.
 - r) Connection between equipment earthing lead and main earthing conductors and between main earthing conductors shall be welded type. For rust protections, the welds should be treated with red lead and afterwards coated with two layers bitumen compound to prevent corrosion.
 - s) All ground connections shall be made by electric arc welding. All welded joints shall be allowed to cool down gradually to atmospheric temperature before putting any load on it. Artificial cooling shall not be allowed.
 - t) All earthing activities shall conform to the Code of practice for Earthing IS: 3043 and as directed by the site incharge.
 - u) Installation of Ground wire is to be done as instructed by Engineer in Charge.

5. **DETAILS OF EARTHING SYSTEM:-**

Sl No	Item	Size in mm	Materials
1	Main Earthing Conductor to be buried in ground	65 x 12	GI Flat
2	Conductor above ground and earthing leads, risers	65 x 12	GI Flat
3	Conductor above ground and earthing leads (for columns & aux structures)	65 x 12	GI Flat
4	Earthing of indoor LT panels, Control panels and Outdoor boxes, MOM boxes etc)	50 x 6	GI Flat
5	Rod earth electrode	40 mm dia 3 m long	MS
6	Pipe earth electrode in treated earth pit	40 mm dia 3m long	GI Pipe
7	Earthing conductor along outdoor cable trenches	50 x 6	GS flat

6. **PREPARATION OF BASE:-**

- a) Any excavation taken out to a greater depth than that required shall be back filled with concrete of the foundation grade at the cost of the contractor. If required sand may be used for backfilling, if permitted by Site In-Charge.
- b) Refilling of foundation pits and trenches shall be carried out only after the foundation and structure works within the excavation have been inspected and approved by the Engineer-in-charge.
- c) Unless otherwise directed by the Engineer-in-charge all fillings shall consists of approved materials.
- d) All space between foundation concrete and the sides of excavation shall be refilled to the original surface

using approved plant, in single layers not exceeding 250mm loose thickness which shall be watered and completed to a dry density not less than that of the adjoining soil strata.

- e) Timber sheeting and other excavation support shall be carefully removed as the filling proceeds but the removal of such supports will not relieve the contractor of his responsibility for the stability of the works

7. PLAIN CEMENT CONCRETE:-

- a) Plain Cement Concrete works must be carried out in dry condition and dewatering should be carried out wherever necessary before placing of concrete.
- b) The proportion of Plain Cement Concrete should be 1:3:6 or as specified in the drawing and design. The quality of the mix will have to be checked and approved by the Site In-charge.
- c) Curing should be done properly and as per instructions.

8. SHORING AND PROPPING:-

For pits and trenches requiring stabilising of slope, shoring or propping may be carried out at the Contractors own expense.

9. SHUTTERING AND CENTERING:-

- a) Shuttering for concrete shall be made of either metal or timber suitably lined and of substantial and rigid construction true to shape, alignment and dimensions as shown on the approved drawings
- b) Shuttering shall be mortar tight and shall be made sufficiently rigid by the use of ties and bracings to prevent any displacement, deflection or movement of any kind. They shall be strong enough to withstand all pressure, ramming and vibration, movement of persons, materials and plant during and after placing the concrete. Special measures shall be taken to ensure that the form work does not hinder the shrinkage of concrete because without this cracking could occur before the form work is removed.
- c) When the Shuttering is ready for commencing concreting, the contractor shall inform the Site-in-charge or his representative to inspect and accept the shuttering as to their strength, alignment and general fitness.
- d) If the Site-in-charge is satisfied with the quality of shuttering then may allow the contractor for pouring concrete.
- e) Poor or old shuttering should not be used. The Site In-Charge at his own discretion may reject any shuttering material if found not satisfactory.

10. CONSTRUCTION JOINT:-

- a) All construction joints horizontal or vertical shall be at predetermined position according to approved drawing or as directed by the Engineer-in-charge. Prior to commencement of fresh concreting over any construction joint which has set but hardened, the removal of laitance and roughening shall be done by wire brushing and washing and care shall be taken to avoid dislodgement of coarse aggregates.
- b) At construction joints where the concrete has hard, any skin or laitance shall be thoroughly hacked, swept cleaned and washed with clean fresh water. The surplus water shall be removed immediately before depositing fresh, concrete. The neat cement, grout shall be followed by 13mm thick layer of cement mortar of same proportion as in concrete and the concreting resumed immediately thereafter. The first batch of fresh concrete shall be forced hard on to the mortar layer and the set faces, angles and corners by means of compacting tools, vibrators etc. and the damping effect on vibration in such position shall be allowed for.
- c) Construction joints shall be avoided as far as possible in case of structure, especially at tensile zones. Where unavoidable, concreting shall be carried out continuously up to such joints which shall preferably to transverse to the line of main compression. However, in all cases, the position of construction joints shall be predetermined and got approved by the Engineer-in-charge.

11. CURING:-

- a) Curing should be done as soon as possible after concrete is placed and when initial set has occurred and before it has hardened. It should be continued for a minimum period of 7 to 12 days when normal (Portland) cement is used, 4 to 7 days when rapid hardening cement is used, and should be kept thoroughly wet for 24 hours when high alumina cement is used.
- b) Vertical surfaces may be covered with hanging curtains. Columns and small members shall be cured by wrapping round them wet sacks or by sprinkling water continuously. On vertical surfaces it should be checked that the wet fabric is in contact with the surface.
- c) Water should be sprinkled on the underside of beams and slabs for proper curing.

12. PRIMING AND PAINTING:-

- a) As per specifications in the schedule of quantity.

(E) WORK SCHEDULE.

1. SITE HANDOVER:-

- a) Handing over of the work site will be done in presence of Project Manager or its authorized representative, Resident Engineer, site engineer and contractor or its authorized representative.
- b) The contractor has to submit the list of manpower along with contact numbers to be engaged for the work to the Project Manager.
- c) The date of site handing over to be noted on the Site register duly signed by the Project Manager or its authorized representative, Resident Engineer, site engineer and contractor or its authorized representative.

2. **WORK COMMENCEMENT:-**
The work should be started only after having the following documents.

- a) Work order
- b) Site Register
- c) Measurement Book
- d) Drawings
- e) Specifications of item & schedule of Quantity

3. **SITE REGISTER:-**

- a) It will be issued along with the work order.
- b) It will be the responsibility of the Contractor to record and update the site register with details of Day-to-Day activities and other details countersigned with seal by AEGCL.
- c) The days on which no work is carried out should be recorded in the site register with proper justification.
- d) Any instruction by AEGCL officials during site visit must be noted properly and should be jointly signed by the official and the contractor or its authorised representative.
In case of any disagreement, the Contractor must notify AEGCL in written.
- e) Any deviation in works must be properly noted in the site register by the Contractor along with proper justification for it.
- f) Progress report along with work completion percentage must be prepared by the Contractor on the basis of site register log and has to be submitted to AEGCL on 1st and 16th day of the month. In case of holiday, it should submit on next working day.
- g) Site register shall be verified from time to time by the Site In-charge and any anomalies found will be forwarded to higher authorities in written by the Site In-charge of AEGCL.

4. **PERT CHART OR BAR CHART:-**

The successful bidder within 10 (ten) days before the contract is awarded will make out a detailed PERT Chart covering all activities along with detailed program chart on accepted scheme indicating various stages of execution, method of execution and completion of work in different stages keeping the period of completion in view and submit the same to the Engineer for the consideration and approval.

(F) **QUALITY CONTROL.**

If desired by AEGCL, the contractor must perform the test on construction materials. These test listed in the document should be carried out as per Indian Standard Code specifications of the respective tests. Proper records of these tests should be maintained.

1. **Tests for fresh concrete:**

- a) Workability: To determine the workability of fresh concrete by slump test as per IS: 1199-1959

2. **Tests on Hardened Concrete:**

- a) Non-destructive tests:
Rebound hammer test: To assess the likely compressive strength of concrete by using rebound hammer as per IS:13311(Part 2)-1992
- b) Compression test: to determine the compressive strength of concrete specimens as per IS:516-1959

SPECIAL TERMS AND CONDITIONS OF CONTRACT

Definition of terms

“Contract” means the Contract Agreement entered into between the Employer and the Contractor, together with the Contract Documents referred to therein; they shall constitute the Contract, and the term “the Contract” shall in all such documents be construed accordingly.

“Contract Price” means the price payable to the Contractor as specified in the Agreement, subject to such additions and adjustments thereto or deductions there from, as may be made pursuant to the Contract.

“Day” means calendar day.

“Year” means 365 days.

“Month” means calendar month.

“Party” means the “Employer” or the “Contractor”, as the context requires.

“Employer” means the Assam Electricity Grid Corporation Limited (in short AEGCL) and its assignees.

The “*Contractor*” shall mean the tenderer / bidder whose tender/ bid has been accepted by the “Employer” and shall include the bidder’s legal representatives, successors and assignees.

The “Works” mean what the Contract requires the Contractor to construct, install, and turn over to the Employer, as defined in the under the Contract.

“Completion” means the fulfilment of the Works by the Contractor in accordance with the terms and conditions set forth in the Contract.

“Defect” is any part of the Works not completed in accordance with the Contract.

The “Specification” shall mean the “Employer’s Requirements”.

“Contractor” means the natural person, a company/firm, or a combination of these, whose bid to perform the Contract has been accepted by the Employer and is named as such in the Agreement, and includes the legal successors or permitted assigns of the Contractor.

1. General rules and directions for the guidance of contractors for execution of the works are as per clause of “ASEB Schedule-III, Form No-13 [Form F-2]
2. Information is to be furnished in the “Technical and commercial bid” as first page as given in Annexure I
3. Rate should be quoted in prescribed format as in Annexure II

NB:-

Above all, the tendering authority reserves the right to accept or reject the eligibility criteria as deemed fit.



**Dy General Manager
UAT&T Circle, AEGCL, Garmur, Jorhat**

DECLARATION

I/We hereby declare that I/We shall treat the tender documents and other records connected with the work as secret/confidential and shall not communicate information derived there from to any other person than to whom I am/are authorised to communicate the same or use the information to any manner prejudicial to the safety of the state.

Signature of the bidder

Annexure-I

BILL OF QUANTITY

Item	Description	Measuring unit	Qty	Unit Price (Rs)	Total Price (Rs)
1	2	3	4	5	6= 4x5
1	Earth Pit	Nos	10		
2	Earthing flats (75 x 12 mm GS flat)	MTR	1000		
3	Rod Electrode 40mm	Nos	20		
4	Pipe Electrode	Nos	10		
5	Ground Wire	kM	0.5		



Dy General manager
UAT&T Circle, AEGCL, Garmur, Jorhat

Appendix-1

COVERING LETTER (ON THE BIDDERS LETTER HEAD)

To,
The Dy. General Manager,
UAT&T Circle, AEGCL,
Garmur, Jorhat-07

Sub: Submission of Tender.

Ref: -

1. NIT No:
2. Name of work:-

Sir,

Having examined the terms & conditions, technical specifications, detailed items of work etc. as well as acquainting myself/ourselves with site of work, surroundings to get the required materials etc. I am/we are to submit herewith my/our tender for the above mentioned work. My/our rates are quoted as per the specification laid down in the schedule of items of work.

I /We clearly understand that all materials, tools and plants, machineries, labours, testing of material, storage, haulage etc. required in the work shall have to be arranged by me/us from my/our own resources in the events of allotment of the work to me/us.

I /We also clearly understand that in the event of acceptance/approved of my/our tender, the work shall have to be executed strictly as per specifications and the same shall have to be completed in all respects within the stipulated time failing which I am/We are liable to be penalized as per rules laid down in Tender document as well as agreement thereof.

Appendix-2

PROFILE OF THE BIDDER

Hard copy of the following documents to be submitted with Techno-Commercial Bid.

Sl. No.	Particulars	To be filled by Bidder
a)	Name of the Bidder	:-
b)	Registration with Memorandum of Association	:-
c)	PAN	:-
d)	GST Registration number	:-
e)	Employees Provident Fund	:-
f)	Employees State Insurance certificate	:-
g)	Electrical license with Class	:-
h)	Income Tax Clearance Certificate	:-
i)	Labour License registration	:-
j)	Date of Establishment/ Incorporation	:-
k)	Postal Address	:-
	House No.	:-
	Lane	:-
	Street	:-
	Town/Village	:-
	Post Office	:-
	P.S.	:-
	District	:-
	Pin code	:-
l)	Telephone Number	:-
	Mobile No.	:-
	E-Mail Address	:-
	Website	:-
m)	Name(s) of the Owners / Directors/Partners	:-
n)	Name of the Banker with Address and Telephone Number	:-
o)	Contact Person Details <i>(Furnish here name of that person with whom AEGCL may get in touch for more information or clarifications)</i>	Name: - Designation: - Mobile Number: - Email Address:-

Appendix-3

WORK EXPERIENCE OF THE BIDDER

Following documents to be submitted with Techno-Commercial Bid (Envelope-1)

In order to techno-commercially qualify for this Bid, the bidders have to submit work orders **as per Clause 3 b.** of the Bid Document along with Performance certificate for similar nature of work at any Govt. Deptt., PSU etc.

If the nature of work and value differs from the above stated conditions, it will not be considered while evaluation of technical qualification.

Sl. No.	Name of work	Nature of Work	Executed Amount	Starting Date	Completion Date
a)					
b)					
c)					
d)					

NB:- The Bidder may prepare extra sheet if required

Appendix-4

FINANCIAL QUALIFICATIONS

Following documents to be submitted with Techno-Commercial Bid (Envelope-1)

In order to techno-commercially qualify for this Bid, the bidders have to submit annual audit report for last 3 (three) years. The average of 3 (three) years will be considered for average annual turnover.

1. Financial Qualifications:
 - a) Minimum average annual turnover of Rs..... calculated as total certified payments received for contracts in progress or completed.
 - b) Minimum cash flow of Rs..... showing financial resources such as liquid assets unencumbered real assets, line of credit and other financial means. Bank solvency certificate to be submitted.

NB:- The Bidder may prepare extra sheet if required

Appendix-5

Price Bid

The rates quoted should be inclusive of GST and should be firm and legible. No overwriting will be allowed.

The rates should be quoted against each item specified in the BOQ.